Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 1

Outlet Information		Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
Master Client:	**Patriot Mining Company/Active Permits**																	
Permit:	**WV1017535**																	
001	NPDES 001 , SC:10, FQ:S, FI:	3000-01597	9/01/2011		12.000		7.88											
001	NPDES 001 , SC:10, FQ:S, FI:	3000-01519	8/15/2011		15.000		7.87	8.25			< 2.00	750	0.184		0.103	0.070	1052	1490.00
001	NPDES 001 , SC:10, FQ:S, FI:	3000-01494	8/01/2011		15.000		7.65	7.96			< 2.00	1,100	0.242		0.111	0.022	1424	1919.00
001	NPDES 001 , SC:10, FQ:S, FI:	3000-01397	7/21/2011		No Flow													
001	NPDES 001 , SC:10, FQ:S, FI:	3000-01297	7/11/2011		No Flow													
001	NPDES 001 , SC:10, FQ:S, FI:	0000-01133	6/13/2011		24.000		7.82	7.89			5.00	1,400	0.060		0.060	0.050	1592	2200.00
001	NPDES 001 , SC:10, FQ:S, FI:	0000-01064	6/01/2011		15.000		7.43	7.26			15.00		0.243		0.159	0.138	1664	2140.00
001	NPDES 001 , SC:10, FQ:S, FI:	0000-00962	5/16/2011		75.000		8.00	8.06			3.00		0.066		0.069	0.034	1512	1914.00
001	NPDES 001 , SC:10, FQ:S, FI:	0000-00866	5/02/2011		30.000		7.26	7.60			< 2.00	950	0.055		0.109	0.047	1156	1559.00
001	NPDES 001 , SC:10, FQ:S, FI:	0000-00823	4/21/2011		40.000		7.58	7.23			13.00	700	0.434		0.370	0.084	820	1122.00
001	NPDES 001 , SC:10, FQ:S, FI:	0000-00672	4/04/2011		30.000		8.53	7.99			< 2.00	1,200	0.116		0.130	0.042	1464	1913.00
001	NPDES 001 , SC:10, FQ:S, FI:	0000-00546	3/21/2011		30.000		7.99	7.90			< 4.00	1,250	0.086		0.116	0.050	1496	1910.00
001	NPDES 001 , SC:10, FQ:S, FI:	0000-00463	3/03/2011		40.000		8.00	7.95			5.00	160	0.149		0.183	0.066	260	384.00
001	NPDES 001 , SC:10, FQ:S, FI:	0000-00362	2/16/2011		3.750		8.11	7.83			12.00	1250	0.571		0.112	0.098	1508	1920.0
001	NPDES 001 , SC:10, FQ:S, FI:	0000-00284	2/01/2011		0.250		8.18	7.53			9.00	1300	0.064		0.065	< 0.040	1904	2270.0
001	NPDES 001 , SC:10, FQ:S, FI:	0000-00214	1/17/2011		2.400		8.07	7.76			< 4.00	1350	0.055		0.067	< 0.040	1916	2330.0
001	NPDES 001 , SC:10, FQ:S, FI:	0000-00003	1/03/2011					8.02			< 4.00	600	0.197		0.230	0.064	600	1277.0
17																		
001	NPDES 001 HM , SC:20, FQ:Q, FI:	3000-01298	7/11/2011	No Flow														
001	NPDES 001 HM , SC:20, FQ:Q, FI:	0000-00005	1/03/2011															
2																		
002	NPDES 002 , SC:10, FQ:S, FI:	3000-01613	9/01/2011		No Flow													
002	NPDES 002 , SC:10, FQ:S, FI:	3000-01532	8/15/2011	No Flow	No Flow													
002	NPDES 002 , SC:10, FQ:S, FI:	3000-01495	8/01/2011	No Flow	No Flow													
002	NPDES 002 , SC:10, FQ:S, FI:	3000-01398	7/21/2011		No Flow													
002	NPDES 002 , SC:10, FQ:S, FI:	3000-01299	7/11/2011		No Flow													
002	NPDES 002 , SC:10, FQ:S, FI:	0000-01169	6/13/2011		No Flow													
002	NPDES 002 , SC:10, FQ:S, FI:	0000-01083	6/01/2011		No Flow													
002	NPDES 002 , SC:10, FQ:S, FI:	0000-00965	5/16/2011	No Flow	No Flow													
002	NPDES 002 , SC:10, FQ:S, FI:	0000-00879	5/02/2011		No Flow													
002	NPDES 002 , SC:10, FQ:S, FI:	0000-00836	4/21/2011	No Flow	No Flow													
002	NPDES 002 , SC:10, FQ:S, FI:	0000-00713	4/04/2011	No Flow	No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 2

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00557	3/21/2011	No Flow	No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00480	3/03/2011	No Flow	No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00374	2/16/2011		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00297	2/01/2011		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00224	1/17/2011		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00039	1/03/2011		No Flow													
17																			
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	3000-01300	7/11/2011	No Flow														
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	0000-00714	4/04/2011	No Flow														
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	0000-00040	1/03/2011	No Flow														
3																			
006	NPDES 006	, SC:10, FQ:S, FI:	3000-01614	9/01/2011		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	3000-01533	8/15/2011		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	3000-01496	8/01/2011		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	3000-01399	7/21/2011		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	3000-01301	7/11/2011		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-01170	6/13/2011		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-01081	6/01/2011	No Flow	No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00966	5/16/2011	No Flow	No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00880	5/02/2011		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00837	4/21/2011	No Flow	No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00722	4/04/2011	No Flow	No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00558	3/21/2011		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00481	3/03/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00375	2/16/2011		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00298	2/01/2011		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00225	1/17/2011		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00041	1/03/2011		No Flow													
17																			
007	NPDES 007	, SC:10, FQ:S, FI:	3000-01615	9/01/2011		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	3000-01534	8/15/2011		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	3000-01497	8/01/2011		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	3000-01400	7/21/2011		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 3

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
007	NPDES 007	, SC:10, FQ:S, FI:	3000-01304	7/11/2011		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-01171	6/13/2011		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-01082	6/01/2011		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00967	5/16/2011	No Flow	No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00881	5/02/2011		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00838	4/21/2011	No Flow	No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00724	4/04/2011	No Flow	No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00559	3/21/2011	No Flow	No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00482	3/03/2011	No Flow	No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00376	2/16/2011	No Flow	No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00299	2/01/2011		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00226	1/17/2011		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00043	1/03/2011		No Flow													
17																			
007	NPDES 007 HM	, SC:20, FQ:Q, FI:	3000-01303	7/11/2011	No Flow														
007	NPDES 007 HM	, SC:20, FQ:Q, FI:	0000-00725	4/04/2011	No Flow														
007	NPDES 007 HM	, SC:20, FQ:Q, FI:	0000-00044	1/03/2011	No Flow														
3																			
008	NPDES 008	, SC:10, FQ:S, FI:	3000-01616	9/01/2011		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	3000-01535	8/15/2011		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	3000-01498	8/01/2011		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	3000-01401	7/21/2011		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	3000-01305	7/11/2011		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-01172	6/13/2011		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	3000-01236	6/01/2011		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00968	5/16/2011	No Flow	No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00882	5/02/2011		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00839	4/21/2011	No Flow	No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00726	4/04/2011	No Flow	No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00560	3/21/2011	No Flow	No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00483	3/03/2011	No Flow	No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00377	2/16/2011		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00300	2/01/2011		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00227	1/17/2011		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 4

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00045	1/03/2011		No Flow													
17																			
008	NPDES 008 HM	, SC:20, FQ:Q, FI:	3000-01306	7/11/2011	No Flow														
008	NPDES 008 HM	, SC:20, FQ:Q, FI:	0000-00727	4/04/2011	No Flow														
008	NPDES 008 HM	, SC:20, FQ:Q, FI:	0000-00046	1/03/2011	No Flow														
3																			
009	NPDES 009	, SC:20, FQ:Q, FI:	3000-01309	7/11/2011	No Flow														
009	NPDES 009	, SC:20, FQ:Q, FI:	0000-00729	4/04/2011	No Flow														
009	NPDES 009	, SC:20, FQ:Q, FI:	0000-00048	1/03/2011	No Flow														
3																			
009	NPDES 009	, SC:10, FQ:S, FI:	3000-01617	9/01/2011		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	3000-01536	8/15/2011		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	3000-01499	8/01/2011		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	3000-01402	7/21/2011		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	3000-01308	7/11/2011		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-01173	6/13/2011		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-01084	6/01/2011		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00963	5/16/2011		1.250		7.01	7.25			3.00		0.056	1.600	0.102	0.011		
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00883	5/02/2011		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00840	4/21/2011	No Flow	No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00728	4/04/2011	No Flow	No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00561	3/21/2011	No Flow	No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00484	3/03/2011	No Flow	No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00378	2/16/2011		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00301	2/01/2011		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00228	1/17/2011		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00047	1/03/2011		No Flow													
17																			
010	NPDES 010	, SC:20, FQ:Q, FI:	3000-01311	7/11/2011	No Flow														
010	NPDES 010	, SC:20, FQ:Q, FI:	0000-00731	4/04/2011	No Flow														
010	NPDES 010	, SC:20, FQ:Q, FI:	0000-00050	1/03/2011	No Flow														
3																			

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 5

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
010	NPDES 010	, SC:10, FQ:S, FI:	3000-01618	9/01/2011		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	3000-01537	8/15/2011		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	3000-01500	8/01/2011		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	3000-01403	7/21/2011		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	3000-01310	7/11/2011		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-01174	6/13/2011		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-01085	6/01/2011	No Flow	No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00969	5/16/2011	No Flow	No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00884	5/02/2011		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00841	4/21/2011	No Flow	No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00730	4/04/2011	No Flow	No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00562	3/21/2011	No Flow	No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00485	3/03/2011	No Flow	No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00379	2/16/2011		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00302	2/01/2011		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00229	1/17/2011		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00049	1/03/2011		No Flow													
17																			
011	NPDES 011	, SC:20, FQ:Q, FI:	3000-01313	7/11/2011	No Flow														
011	NPDES 011	, SC:20, FQ:Q, FI:	0000-00733	4/04/2011	No Flow														
011	NPDES 011	, SC:20, FQ:Q, FI:	0000-00052	1/03/2011	No Flow														
3																			
011	NPDES 011	, SC:10, FQ:S, FI:	3000-01619	9/01/2011		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	3000-01538	8/15/2011		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	3000-01501	8/01/2011		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	3000-01404	7/21/2011		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	3000-01312	7/11/2011		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-01175	6/13/2011		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-01086	6/01/2011		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00970	5/16/2011	No Flow	No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00885	5/02/2011		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00842	4/21/2011	No Flow	No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00732	4/04/2011	No Flow	No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00563	3/21/2011	No Flow	No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 6

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00486	3/03/2011	No Flow	No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00380	2/16/2011		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00303	2/01/2011		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00230	1/17/2011		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00051	1/03/2011		No Flow													
17																			
012	NPDES 012	, SC:20, FQ:Q, FI:	3000-01262	7/11/2011															
012	NPDES 012	, SC:20, FQ:Q, FI:	0000-01167	6/13/2011															
012	NPDES 012	, SC:20, FQ:Q, FI:	0000-00735	4/04/2011	No Flow														
012	NPDES 012	, SC:20, FQ:Q, FI:	0000-00054	1/03/2011	No Flow														
4																			
012	NPDES 012	, SC:10, FQ:S, FI:	3000-01620	9/01/2011		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	3000-01539	8/15/2011		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	3000-01502	8/01/2011	No Flow	No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	3000-01387	7/21/2011		0.180		8.04	7.82			< 2.00		0.062	0.838	0.224	0.067		
012	NPDES 012	, SC:10, FQ:S, FI:	3000-01261	7/11/2011		0.260		8.46	7.75			7.00		0.076	0.101	0.021	0.013		
012	NPDES 012	, SC:10, FQ:S, FI:	0000-01134	6/13/2011		1.330		8.20	8.31			5.00		0.020	0.120	0.050	0.050		
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00964	5/16/2011		0.750		8.07	7.49			< 2.00		0.021	0.040	0.071	0.013		
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00886	5/02/2011		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00843	4/21/2011	No Flow	No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00734	4/04/2011	No Flow	No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00564	3/21/2011	No Flow	No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00487	3/03/2011	No Flow	No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00381	2/16/2011		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00304	2/01/2011		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00231	1/17/2011		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00053	1/03/2011		No Flow													
16																			
013	NPDES 013	, SC:20, FQ:Q, FI:	3000-01315	7/11/2011	No Flow														
013	NPDES 013	, SC:20, FQ:Q, FI:	0000-00737	4/04/2011	No Flow														
013	NPDES 013	, SC:20, FQ:Q, FI:	0000-00056	1/03/2011	No Flow														
3																			
013	NPDES 013	, SC:10, FQ:S, FI:	3000-01621	9/01/2011		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 7

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
013	NPDES 013	, SC:10, FQ:S, FI:	3000-01540	8/15/2011		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	3000-01503	8/01/2011		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	3000-01405	7/21/2011		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	3000-01314	7/11/2011		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-01176	6/13/2011		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-01087	6/01/2011		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00971	5/16/2011	No Flow	No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00887	5/02/2011		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00844	4/21/2011	No Flow	No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00736	4/04/2011	No Flow	No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00565	3/21/2011	No Flow	No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00488	3/03/2011	No Flow	No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00382	2/16/2011		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00305	2/01/2011		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00232	1/17/2011		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00055	1/03/2011		No Flow													
17																			
014	NPDES 014	, SC:10, FQ:S, FI:	3000-01622	9/01/2011		No Flow													
014	NPDES 014	, SC:10, FQ:S, FI:	3000-01520	8/15/2011		4.488		8.00	8.12			5.00		0.680	0.068	0.308	< 0.003		
014	NPDES 014	, SC:10, FQ:S, FI:	3000-01504	8/01/2011		No Flow													
014	NPDES 014	, SC:10, FQ:S, FI:	3000-01406	7/21/2011		No Flow													
014	NPDES 014	, SC:10, FQ:S, FI:	3000-01316	7/11/2011		No Flow													
014	NPDES 014	, SC:10, FQ:S, FI:	0000-01177	6/13/2011		No Flow													
014	NPDES 014	, SC:10, FQ:S, FI:	0000-01088	6/01/2011		No Flow													
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00972	5/16/2011		No Flow													
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00888	5/02/2011		No Flow													
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00824	4/21/2011		0.460		7.23	6.88			< 2.00		0.088	0.180	0.058	0.034		
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00738	4/04/2011		No Flow													
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00566	3/21/2011		No Flow													
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00464	3/03/2011		0.960		8.66	7.83			< 4.00		0.061	0.839	0.073	0.027		
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00383	2/16/2011		No Flow													
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00306	2/01/2011		No Flow													
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00233	1/17/2011		No Flow													
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00057	1/03/2011		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 8

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
17																			
014	NPDES 014	, SC:20, FQ:Q, FI:	3000-01317	7/11/2011	No Flow														
014	NPDES 014	, SC:20, FQ:Q, FI:	0000-00739	4/04/2011	No Flow														
014	NPDES 014	, SC:20, FQ:Q, FI:	0000-00058	1/03/2011	No Flow														
3																			
015	015	, SC:10, FQ:S, FI:	3000-01623	9/01/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	3000-01541	8/15/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	3000-01505	8/01/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	3000-01407	7/21/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	3000-01318	7/11/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-01135	6/13/2011		5.000		8.40	8.15			15.00		0.440	0.070	0.250	0.050		
015	015	, SC:10, FQ:S, FI:	0000-01089	6/01/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-00973	5/16/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-00889	5/02/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-00845	4/21/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-00740	4/04/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-00567	3/21/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-00489	3/03/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-00384	2/16/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-00307	2/01/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-00234	1/17/2011		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-00059	1/03/2011		No Flow													
17																			
015	NPDES 015	, SC:20, FQ:Q, FI:	3000-01319	7/11/2011	No Flow														
015	NPDES 015	, SC:20, FQ:Q, FI:	0000-01168	6/13/2011															
015	NPDES 015	, SC:20, FQ:Q, FI:	0000-00741	4/04/2011	No Flow														
015	NPDES 015	, SC:20, FQ:Q, FI:	0000-00060	1/03/2011	No Flow														
4																			
016	016	, SC:10, FQ:S, FI:	3000-01624	9/01/2011	No Flow	No Flow													
016	016	, SC:10, FQ:S, FI:	3000-01542	8/15/2011		No Flow													
016	016	, SC:10, FQ:S, FI:	3000-01506	8/01/2011	No Flow	No Flow													
016	016	, SC:10, FQ:S, FI:	3000-01408	7/21/2011		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-01231	7/05/2011		1.000		8.88	7.70			28.00		0.118	0.155	0.209	0.088		

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 9

Outlet Information		Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
016	016 , SC:10, FQ:S, FI:	0000-01178	6/13/2011		No Flow													
016	016 , SC:10, FQ:S, FI:	0000-01090	6/01/2011		No Flow													
016	016 , SC:10, FQ:S, FI:	0000-00974	5/16/2011		No Flow													
016	016 , SC:10, FQ:S, FI:	0000-00890	5/02/2011		No Flow													
016	016 , SC:10, FQ:S, FI:	0000-00846	4/21/2011		No Flow													
016	016 , SC:10, FQ:S, FI:	0000-00715	4/04/2011		No Flow													
016	016 , SC:10, FQ:S, FI:	0000-00568	3/21/2011		No Flow													
016	016 , SC:10, FQ:S, FI:	0000-00490	3/03/2011		No Flow													
016	016 , SC:10, FQ:S, FI:	0000-00385	2/16/2011		No Flow													
016	016 , SC:10, FQ:S, FI:	0000-00308	2/01/2011		No Flow													
016	016 , SC:10, FQ:S, FI:	0000-00235	1/17/2011		No Flow													
016	016 , SC:10, FQ:S, FI:	0000-00061	1/03/2011		No Flow													
17																		
016	NPDES 016 , SC:20, FQ:Q, FI:	0000-01232	7/05/2011															
016	NPDES 016 , SC:20, FQ:Q, FI:	0000-00716	4/04/2011	No Flow														
016	NPDES 016 , SC:20, FQ:Q, FI:	0000-00062	1/03/2011	No Flow														
3																		
017	017 (Not Constructed, SC:9, FQ:S, FI:	3000-01629	9/01/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	3000-01507	8/01/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	3000-01321	7/11/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	0000-01182	6/13/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	0000-00980	5/16/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	0000-01111	4/04/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	0000-00494	3/03/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	0000-00778	2/01/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	0000-00063	1/03/2011		No Flow													
9																		
017	NPDES 017 , SC:9, FQ:Q, FI:	3000-01320	7/11/2011															
017	NPDES 017 , SC:9, FQ:Q, FI:	0000-00064	1/03/2011															
2																		
018	018 , SC:10, FQ:S, FI:	3000-01625	9/01/2011		No Flow													
018	018 , SC:10, FQ:S, FI:	3000-01543	8/15/2011		No Flow													
018	018 , SC:10, FQ:S, FI:	3000-01508	8/01/2011		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 10

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
018	018	, SC:10, FQ:S, FI:	3000-01409	7/21/2011		No Flow													
018	018	, SC:10, FQ:S, FI:	3000-01322	7/11/2011		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-01179	6/13/2011		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-01091	6/01/2011		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-00975	5/16/2011		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-00891	5/02/2011		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-00847	4/21/2011		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-00717	4/04/2011		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-00569	3/21/2011		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-00491	3/03/2011		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-00386	2/16/2011		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-00309	2/01/2011		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-00236	1/17/2011		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-00065	1/03/2011		No Flow													
17																			
018	NPDES 018	, SC:20, FQ:Q, FI:	3000-01323	7/11/2011	No Flow														
018	NPDES 018	, SC:20, FQ:Q, FI:	0000-00718	4/04/2011	No Flow														
018	NPDES 018	, SC:20, FQ:Q, FI:	0000-00066	1/03/2011	No Flow														
3																			
019	019	, SC:10, FQ:S, FI:	3000-01626	9/01/2011		No Flow													
019	019	, SC:10, FQ:S, FI:	3000-01544	8/15/2011		No Flow													
019	019	, SC:10, FQ:S, FI:	3000-01509	8/01/2011		No Flow													
019	019	, SC:10, FQ:S, FI:	3000-01410	7/21/2011		No Flow													
019	019	, SC:10, FQ:S, FI:	3000-01324	7/11/2011		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-01180	6/13/2011		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-01092	6/01/2011		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-00976	5/16/2011		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-00892	5/02/2011		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-00825	4/21/2011		17.140		7.85	7.83			< 2.00		0.084	0.362	0.078	0.015		
019	019	, SC:10, FQ:S, FI:	0000-00674	4/04/2011		6.000		8.00	7.97			< 2.00		0.004	0.007	0.035	0.030		
019	019	, SC:10, FQ:S, FI:	0000-00570	3/21/2011		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-00492	3/03/2011		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-00387	2/16/2011		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-00310	2/01/2011		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 11

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
019	019	, SC:10, FQ:S, FI:	0000-00237	1/17/2011		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-00067	1/03/2011		No Flow													
17																			
019	NPDES 019	, SC:20, FQ:Q, FI:	3000-01325	7/11/2011	No Flow														
019	NPDES 019	, SC:20, FQ:Q, FI:	0000-00673	4/04/2011	1.00														
019	NPDES 019	, SC:20, FQ:Q, FI:	0000-00068	1/03/2011	No Flow														
3																			
020	020	, SC:10, FQ:S, FI:	3000-01627	9/01/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	3000-01545	8/15/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	3000-01510	8/01/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	3000-01411	7/21/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	3000-01326	7/11/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-01181	6/13/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-01093	6/01/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-00977	5/16/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-00893	5/02/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-00848	4/21/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-00719	4/04/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-00571	3/21/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-00493	3/03/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-00388	2/16/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-00311	2/01/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-00238	1/17/2011		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-00069	1/03/2011		No Flow													
17																			
020	NPDES 020	, SC:20, FQ:Q, FI:	3000-01327	7/11/2011	No Flow														
020	NPDES 020	, SC:20, FQ:Q, FI:	0000-00720	4/04/2011	No Flow														
020	NPDES 020	, SC:20, FQ:Q, FI:	0000-00070	1/03/2011	No Flow														
3																			
021	NPDES 021	, SC:10, FQ:S, FI:	3000-01628	9/01/2011		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	3000-01546	8/15/2011		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	3000-01511	8/01/2011	No Flow	No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	3000-01412	7/21/2011		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 12

Outlet Information		Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
021	NPDES 021 , SC:10, FQ:S, FI:	0000-01229	7/05/2011		5.000		8.57	8.12			3.00		0.030	1.296	0.067	0.044		
021	NPDES 021 , SC:10, FQ:S, FI:	0000-01136	6/13/2011		10.000		8.00	8.21			10.00		0.170	0.090	0.150	0.040		
021	NPDES 021 , SC:10, FQ:S, FI:	0000-01065	6/01/2011		1.436		8.01	7.82			8.00		0.795	0.331	0.300	0.198		
021	NPDES 021 , SC:10, FQ:S, FI:	0000-00955	5/16/2011		20.000		7.98	8.16			25.00		0.117	0.184	0.074	0.020		
021	NPDES 021 , SC:10, FQ:S, FI:	0000-00867	5/02/2011		269.299		7.83	7.93			< 2.00		0.061	1.500	0.049	0.013		
021	NPDES 021 , SC:10, FQ:S, FI:	0000-00826	4/21/2011		15.000		7.46	7.64			9.00		0.835	0.206	0.755	0.011		
021	NPDES 021 , SC:10, FQ:S, FI:	0000-00675	4/04/2011		15.000		7.40	7.73			4.00		0.029	0.049	0.014	0.028		
021	NPDES 021 , SC:10, FQ:S, FI:	0000-00547	3/21/2011		5.000			7.71			7.00		0.005	0.126	0.066	0.066		
021	NPDES 021 , SC:10, FQ:S, FI:	0000-00465	3/03/2011		10.000		9.00	8.25			10.00		0.102	1.324	0.051	0.035		
021	NPDES 021 , SC:10, FQ:S, FI:	0000-00389	2/16/2011		No Flow													
021	NPDES 021 , SC:10, FQ:S, FI:	0000-00312	2/01/2011		No Flow													
021	NPDES 021 , SC:10, FQ:S, FI:	0000-00239	1/17/2011		No Flow													
021	NPDES 021 , SC:10, FQ:S, FI:	0000-00071	1/03/2011		No Flow													
17																		
021	NPDES 021 , SC:20, FQ:Q, FI:	0000-01230	7/05/2011															
021	NPDES 021 , SC:20, FQ:Q, FI:	0000-00676	4/04/2011	1.00														
021	NPDES 021 , SC:20, FQ:Q, FI:	0000-00072	1/03/2011	No Flow														
3																		
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:	3000-01630	9/01/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:	3000-01512	8/01/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:	3000-01329	7/11/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:	0000-01183	6/13/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:	0000-00978	5/16/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:	0000-01112	4/04/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:	0000-00495	3/03/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:	0000-00783	2/16/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:	0000-00074	1/03/2011															
9																		
022	NPDES 022 (Not Const, SC:9, FQ:Q, FI:	3000-01328	7/11/2011															
022	NPDES 022 (Not Const, SC:9, FQ:Q, FI:	0000-00073	1/03/2011															
2																		
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	3000-01631	9/01/2011															
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	3000-01513	8/01/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 13

Outlet Information		Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	3000-01331	7/11/2011															
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	0000-01184	6/13/2011															
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	0000-00979	5/16/2011															
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	0000-01113	4/04/2011															
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	0000-00496	3/03/2011															
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	0000-00390	2/16/2011		No Flow													
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	0000-00076	1/03/2011															
9																		
023	NPDES 023 (Not Const, SC:9, FQ:Q, FI:	3000-01330	7/11/2011															
023	NPDES 023 (Not Const, SC:9, FQ:Q, FI:	0000-00075	1/03/2011															
2																		
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	3000-01632	9/01/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	3000-01514	8/01/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	3000-01333	7/11/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	0000-01185	6/13/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	0000-00981	5/16/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	0000-01114	4/04/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	0000-00497	3/03/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	0000-00391	2/16/2011		No Flow													
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	0000-00078	1/03/2011															
9																		
024	NPDES Outlet 024 (No, SC:9, FQ:Q, FI:	3000-01332	7/11/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:Q, FI:	0000-00077	1/03/2011															
2																		
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	3000-01633	9/01/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	3000-01515	8/01/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	3000-01335	7/11/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	0000-01186	6/13/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	0000-00982	5/16/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	0000-01115	4/04/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	0000-00498	3/03/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	0000-00392	2/16/2011		No Flow													
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	0000-00080	1/03/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 14

Outlet Information		Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
9																		
025	NPDES Outlet 025 (No, SC:9, FQ:Q, FI:	3000-01334	7/11/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:Q, FI:	0000-00079	1/03/2011															
2																		
006	NPDES 006 , SC:20, FQ:Q, FI:	3000-01302	7/11/2011	No Flow														
006	NPDES 006 , SC:20, FQ:Q, FI:	0000-00723	4/04/2011	No Flow														
006	NPDES 006 , SC:20, FQ:Q, FI:	0000-00042	1/03/2011	No Flow														
3																		
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	3000-01634	9/01/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	3000-01516	8/01/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	3000-01337	7/11/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	0000-01187	6/13/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	0000-00983	5/16/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	0000-01116	4/04/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	0000-00499	3/03/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	0000-00779	2/01/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	0000-00082	1/03/2011															
9																		
026	NPDES 026 , SC:9, FQ:Q, FI:	3000-01336	7/11/2011															
026	NPDES 026 , SC:9, FQ:Q, FI:	0000-00081	1/03/2011															
2																		
027	NPDES 027 , SC:9, FQ:Q, FI:	3000-01338	7/11/2011															
027	NPDES 027 , SC:9, FQ:Q, FI:	0000-00984	5/16/2011															
027	NPDES 027 , SC:9, FQ:Q, FI:	0000-00083	1/03/2011															
3																		
027	027 NPDES (Not Const, SC:9, FQ:S, FI:	3000-01635	9/01/2011															
027	027 NPDES (Not Const, SC:9, FQ:S, FI:	3000-01517	8/01/2011															
027	027 NPDES (Not Const, SC:9, FQ:S, FI:	3000-01339	7/11/2011															
027	027 NPDES (Not Const, SC:9, FQ:S, FI:	0000-01188	6/13/2011															
027	027 NPDES (Not Const, SC:9, FQ:S, FI:	0000-01117	4/04/2011															
027	027 NPDES (Not Const, SC:9, FQ:S, FI:	0000-00500	3/03/2011															
027	027 NPDES (Not Const, SC:9, FQ:S, FI:	0000-00780	2/01/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 15

Outlet Information		Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
027 8	027 NPDES (Not Const, SC:9, FQ:S, FI:	0000-00084	1/03/2011		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 1

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
Master Client:	**Patriot Mining Company/Active Permits**																		
Permit:	**WV1017535**																		
001	NPDES 001	, SC:10, FQ:S, FI:	3000-01597	9/01/2011			22												
001	NPDES 001	, SC:10, FQ:S, FI:	3000-01519	8/15/2011			25	0.37											
001	NPDES 001	, SC:10, FQ:S, FI:	3000-01494	8/01/2011			30	3.37											
001	NPDES 001	, SC:10, FQ:S, FI:	3000-01397	7/21/2011															
001	NPDES 001	, SC:10, FQ:S, FI:	3000-01297	7/11/2011															
001	NPDES 001	, SC:10, FQ:S, FI:	0000-01133	6/13/2011			22	0.84											
001	NPDES 001	, SC:10, FQ:S, FI:	0000-01064	6/01/2011			27	< 0.28											
001	NPDES 001	, SC:10, FQ:S, FI:	0000-00962	5/16/2011			19	< 0.28											
001	NPDES 001	, SC:10, FQ:S, FI:	0000-00866	5/02/2011			15	2.41											
001	NPDES 001	, SC:10, FQ:S, FI:	0000-00823	4/21/2011			13	1.04											
001	NPDES 001	, SC:10, FQ:S, FI:	0000-00672	4/04/2011			11	0.40											
001	NPDES 001	, SC:10, FQ:S, FI:	0000-00546	3/21/2011			13	0.55											
001	NPDES 001	, SC:10, FQ:S, FI:	0000-00463	3/03/2011			3	1.91											
001	NPDES 001	, SC:10, FQ:S, FI:	0000-00362	2/16/2011			7	1.23											
001	NPDES 001	, SC:10, FQ:S, FI:	0000-00284	2/01/2011			3	< 0.80											
001	NPDES 001	, SC:10, FQ:S, FI:	0000-00214	1/17/2011			2	2.57											
001	NPDES 001	, SC:10, FQ:S, FI:	0000-00003	1/03/2011				1.43											
17																			
001	NPDES 001 HM	, SC:20, FQ:Q, FI:	3000-01298	7/11/2011															
001	NPDES 001 HM	, SC:20, FQ:Q, FI:	0000-00005	1/03/2011								< 1.2	< 0.005	0.15	7.65		< 8.50	29.87	
2																			
002	NPDES 002	, SC:10, FQ:S, FI:	3000-01613	9/01/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	3000-01532	8/15/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	3000-01495	8/01/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	3000-01398	7/21/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	3000-01299	7/11/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-01169	6/13/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-01083	6/01/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00965	5/16/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00879	5/02/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00836	4/21/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00713	4/04/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 2

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00557	3/21/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00480	3/03/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00374	2/16/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00297	2/01/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00224	1/17/2011															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-00039	1/03/2011															
17																			
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	3000-01300	7/11/2011															
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	0000-00714	4/04/2011															
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	0000-00040	1/03/2011															
3																			
006	NPDES 006	, SC:10, FQ:S, FI:	3000-01614	9/01/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	3000-01533	8/15/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	3000-01496	8/01/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	3000-01399	7/21/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	3000-01301	7/11/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-01170	6/13/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-01081	6/01/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00966	5/16/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00880	5/02/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00837	4/21/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00722	4/04/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00558	3/21/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00481	3/03/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00375	2/16/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00298	2/01/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00225	1/17/2011															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-00041	1/03/2011															
17																			
007	NPDES 007	, SC:10, FQ:S, FI:	3000-01615	9/01/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	3000-01534	8/15/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	3000-01497	8/01/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	3000-01400	7/21/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 3

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
007	NPDES 007	, SC:10, FQ:S, FI:	3000-01304	7/11/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-01171	6/13/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-01082	6/01/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00967	5/16/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00881	5/02/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00838	4/21/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00724	4/04/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00559	3/21/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00482	3/03/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00376	2/16/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00299	2/01/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00226	1/17/2011															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-00043	1/03/2011															
17																			
007	NPDES 007 HM	, SC:20, FQ:Q, FI:	3000-01303	7/11/2011															
007	NPDES 007 HM	, SC:20, FQ:Q, FI:	0000-00725	4/04/2011															
007	NPDES 007 HM	, SC:20, FQ:Q, FI:	0000-00044	1/03/2011															
3																			
008	NPDES 008	, SC:10, FQ:S, FI:	3000-01616	9/01/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	3000-01535	8/15/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	3000-01498	8/01/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	3000-01401	7/21/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	3000-01305	7/11/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-01172	6/13/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	3000-01236	6/01/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00968	5/16/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00882	5/02/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00839	4/21/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00726	4/04/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00560	3/21/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00483	3/03/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00377	2/16/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00300	2/01/2011															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00227	1/17/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 4

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
008	NPDES 008	, SC:10, FQ:S, FI:	0000-00045	1/03/2011															
17																			
008	NPDES 008 HM	, SC:20, FQ:Q, FI:	3000-01306	7/11/2011															
008	NPDES 008 HM	, SC:20, FQ:Q, FI:	0000-00727	4/04/2011															
008	NPDES 008 HM	, SC:20, FQ:Q, FI:	0000-00046	1/03/2011															
3																			
009	NPDES 009	, SC:20, FQ:Q, FI:	3000-01309	7/11/2011															
009	NPDES 009	, SC:20, FQ:Q, FI:	0000-00729	4/04/2011															
009	NPDES 009	, SC:20, FQ:Q, FI:	0000-00048	1/03/2011															
3																			
009	NPDES 009	, SC:10, FQ:S, FI:	3000-01617	9/01/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	3000-01536	8/15/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	3000-01499	8/01/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	3000-01402	7/21/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	3000-01308	7/11/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-01173	6/13/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-01084	6/01/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00963	5/16/2011			19												
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00883	5/02/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00840	4/21/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00728	4/04/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00561	3/21/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00484	3/03/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00378	2/16/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00301	2/01/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00228	1/17/2011															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-00047	1/03/2011															
17																			
010	NPDES 010	, SC:20, FQ:Q, FI:	3000-01311	7/11/2011															
010	NPDES 010	, SC:20, FQ:Q, FI:	0000-00731	4/04/2011															
010	NPDES 010	, SC:20, FQ:Q, FI:	0000-00050	1/03/2011															
3																			

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 5

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
010	NPDES 010	, SC:10, FQ:S, FI:	3000-01618	9/01/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	3000-01537	8/15/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	3000-01500	8/01/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	3000-01403	7/21/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	3000-01310	7/11/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-01174	6/13/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-01085	6/01/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00969	5/16/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00884	5/02/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00841	4/21/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00730	4/04/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00562	3/21/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00485	3/03/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00379	2/16/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00302	2/01/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00229	1/17/2011															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-00049	1/03/2011															
17																			
011	NPDES 011	, SC:20, FQ:Q, FI:	3000-01313	7/11/2011															
011	NPDES 011	, SC:20, FQ:Q, FI:	0000-00733	4/04/2011															
011	NPDES 011	, SC:20, FQ:Q, FI:	0000-00052	1/03/2011															
3																			
011	NPDES 011	, SC:10, FQ:S, FI:	3000-01619	9/01/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	3000-01538	8/15/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	3000-01501	8/01/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	3000-01404	7/21/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	3000-01312	7/11/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-01175	6/13/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-01086	6/01/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00970	5/16/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00885	5/02/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00842	4/21/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00732	4/04/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00563	3/21/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 6

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00486	3/03/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00380	2/16/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00303	2/01/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00230	1/17/2011															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-00051	1/03/2011															
17																			
012	NPDES 012	, SC:20, FQ:Q, FI:	3000-01262	7/11/2011						0.015	< 0.01	< 0.46	< 0.005	< 0.19	< 2.00	1832.75			
012	NPDES 012	, SC:20, FQ:Q, FI:	0000-01167	6/13/2011						0.012	< 0.01	< 0.46	< 0.005	< 0.19	5.95	503.55			
012	NPDES 012	, SC:20, FQ:Q, FI:	0000-00735	4/04/2011															
012	NPDES 012	, SC:20, FQ:Q, FI:	0000-00054	1/03/2011															
4																			
012	NPDES 012	, SC:10, FQ:S, FI:	3000-01620	9/01/2011															
012	NPDES 012	, SC:10, FQ:S, FI:	3000-01539	8/15/2011															
012	NPDES 012	, SC:10, FQ:S, FI:	3000-01502	8/01/2011															
012	NPDES 012	, SC:10, FQ:S, FI:	3000-01387	7/21/2011			26												
012	NPDES 012	, SC:10, FQ:S, FI:	3000-01261	7/11/2011			23												
012	NPDES 012	, SC:10, FQ:S, FI:	0000-01134	6/13/2011			24												
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00964	5/16/2011			19												
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00886	5/02/2011															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00843	4/21/2011															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00734	4/04/2011															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00564	3/21/2011															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00487	3/03/2011															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00381	2/16/2011															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00304	2/01/2011															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00231	1/17/2011															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-00053	1/03/2011															
16																			
013	NPDES 013	, SC:20, FQ:Q, FI:	3000-01315	7/11/2011															
013	NPDES 013	, SC:20, FQ:Q, FI:	0000-00737	4/04/2011															
013	NPDES 013	, SC:20, FQ:Q, FI:	0000-00056	1/03/2011															
3																			
013	NPDES 013	, SC:10, FQ:S, FI:	3000-01621	9/01/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 7

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
013	NPDES 013	, SC:10, FQ:S, FI:	3000-01540	8/15/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	3000-01503	8/01/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	3000-01405	7/21/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	3000-01314	7/11/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-01176	6/13/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-01087	6/01/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00971	5/16/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00887	5/02/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00844	4/21/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00736	4/04/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00565	3/21/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00488	3/03/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00382	2/16/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00305	2/01/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00232	1/17/2011															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-00055	1/03/2011															
17																			
014	NPDES 014	, SC:10, FQ:S, FI:	3000-01622	9/01/2011															
014	NPDES 014	, SC:10, FQ:S, FI:	3000-01520	8/15/2011			20												
014	NPDES 014	, SC:10, FQ:S, FI:	3000-01504	8/01/2011															
014	NPDES 014	, SC:10, FQ:S, FI:	3000-01406	7/21/2011															
014	NPDES 014	, SC:10, FQ:S, FI:	3000-01316	7/11/2011															
014	NPDES 014	, SC:10, FQ:S, FI:	0000-01177	6/13/2011															
014	NPDES 014	, SC:10, FQ:S, FI:	0000-01088	6/01/2011															
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00972	5/16/2011															
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00888	5/02/2011															
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00824	4/21/2011			11												
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00738	4/04/2011															
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00566	3/21/2011															
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00464	3/03/2011			7												
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00383	2/16/2011															
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00306	2/01/2011															
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00233	1/17/2011															
014	NPDES 014	, SC:10, FQ:S, FI:	0000-00057	1/03/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 8

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
17																			
014	NPDES 014	, SC:20, FQ:Q, FI:	3000-01317	7/11/2011															
014	NPDES 014	, SC:20, FQ:Q, FI:	0000-00739	4/04/2011															
014	NPDES 014	, SC:20, FQ:Q, FI:	0000-00058	1/03/2011															
3																			
015	015	, SC:10, FQ:S, FI:	3000-01623	9/01/2011															
015	015	, SC:10, FQ:S, FI:	3000-01541	8/15/2011															
015	015	, SC:10, FQ:S, FI:	3000-01505	8/01/2011															
015	015	, SC:10, FQ:S, FI:	3000-01407	7/21/2011															
015	015	, SC:10, FQ:S, FI:	3000-01318	7/11/2011															
015	015	, SC:10, FQ:S, FI:	0000-01135	6/13/2011			25												
015	015	, SC:10, FQ:S, FI:	0000-01089	6/01/2011															
015	015	, SC:10, FQ:S, FI:	0000-00973	5/16/2011															
015	015	, SC:10, FQ:S, FI:	0000-00889	5/02/2011															
015	015	, SC:10, FQ:S, FI:	0000-00845	4/21/2011															
015	015	, SC:10, FQ:S, FI:	0000-00740	4/04/2011															
015	015	, SC:10, FQ:S, FI:	0000-00567	3/21/2011															
015	015	, SC:10, FQ:S, FI:	0000-00489	3/03/2011															
015	015	, SC:10, FQ:S, FI:	0000-00384	2/16/2011															
015	015	, SC:10, FQ:S, FI:	0000-00307	2/01/2011															
015	015	, SC:10, FQ:S, FI:	0000-00234	1/17/2011															
015	015	, SC:10, FQ:S, FI:	0000-00059	1/03/2011															
17																			
015	NPDES 015	, SC:20, FQ:Q, FI:	3000-01319	7/11/2011															
015	NPDES 015	, SC:20, FQ:Q, FI:	0000-01168	6/13/2011						0.063	< 0.01	< 0.46	< 0.005	< 0.19	11.55	626.25			
015	NPDES 015	, SC:20, FQ:Q, FI:	0000-00741	4/04/2011															
015	NPDES 015	, SC:20, FQ:Q, FI:	0000-00060	1/03/2011															
4																			
016	016	, SC:10, FQ:S, FI:	3000-01624	9/01/2011															
016	016	, SC:10, FQ:S, FI:	3000-01542	8/15/2011															
016	016	, SC:10, FQ:S, FI:	3000-01506	8/01/2011															
016	016	, SC:10, FQ:S, FI:	3000-01408	7/21/2011															
016	016	, SC:10, FQ:S, FI:	0000-01231	7/05/2011			22												

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 9

Outlet Information		Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
016	016 , SC:10, FQ:S, FI:	0000-01178	6/13/2011															
016	016 , SC:10, FQ:S, FI:	0000-01090	6/01/2011															
016	016 , SC:10, FQ:S, FI:	0000-00974	5/16/2011															
016	016 , SC:10, FQ:S, FI:	0000-00890	5/02/2011															
016	016 , SC:10, FQ:S, FI:	0000-00846	4/21/2011															
016	016 , SC:10, FQ:S, FI:	0000-00715	4/04/2011															
016	016 , SC:10, FQ:S, FI:	0000-00568	3/21/2011															
016	016 , SC:10, FQ:S, FI:	0000-00490	3/03/2011															
016	016 , SC:10, FQ:S, FI:	0000-00385	2/16/2011															
016	016 , SC:10, FQ:S, FI:	0000-00308	2/01/2011															
016	016 , SC:10, FQ:S, FI:	0000-00235	1/17/2011															
016	016 , SC:10, FQ:S, FI:	0000-00061	1/03/2011															
17																		
016	NPDES 016 , SC:20, FQ:Q, FI:	0000-01232	7/05/2011						0.045		0.80	< 0.005	< 0.19	3.00	419.00	3		
016	NPDES 016 , SC:20, FQ:Q, FI:	0000-00716	4/04/2011															
016	NPDES 016 , SC:20, FQ:Q, FI:	0000-00062	1/03/2011															
3																		
017	017 (Not Constructed, SC:9, FQ:S, FI:	3000-01629	9/01/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	3000-01507	8/01/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	3000-01321	7/11/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	0000-01182	6/13/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	0000-00980	5/16/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	0000-01111	4/04/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	0000-00494	3/03/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	0000-00778	2/01/2011															
017	017 (Not Constructed, SC:9, FQ:S, FI:	0000-00063	1/03/2011															
9																		
017	NPDES 017 , SC:9, FQ:Q, FI:	3000-01320	7/11/2011															
017	NPDES 017 , SC:9, FQ:Q, FI:	0000-00064	1/03/2011															
2																		
018	018 , SC:10, FQ:S, FI:	3000-01625	9/01/2011															
018	018 , SC:10, FQ:S, FI:	3000-01543	8/15/2011															
018	018 , SC:10, FQ:S, FI:	3000-01508	8/01/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 10

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
018	018	, SC:10, FQ:S, FI:	3000-01409	7/21/2011															
018	018	, SC:10, FQ:S, FI:	3000-01322	7/11/2011															
018	018	, SC:10, FQ:S, FI:	0000-01179	6/13/2011															
018	018	, SC:10, FQ:S, FI:	0000-01091	6/01/2011															
018	018	, SC:10, FQ:S, FI:	0000-00975	5/16/2011															
018	018	, SC:10, FQ:S, FI:	0000-00891	5/02/2011															
018	018	, SC:10, FQ:S, FI:	0000-00847	4/21/2011															
018	018	, SC:10, FQ:S, FI:	0000-00717	4/04/2011															
018	018	, SC:10, FQ:S, FI:	0000-00569	3/21/2011															
018	018	, SC:10, FQ:S, FI:	0000-00491	3/03/2011															
018	018	, SC:10, FQ:S, FI:	0000-00386	2/16/2011															
018	018	, SC:10, FQ:S, FI:	0000-00309	2/01/2011															
018	018	, SC:10, FQ:S, FI:	0000-00236	1/17/2011															
018	018	, SC:10, FQ:S, FI:	0000-00065	1/03/2011															
17																			
018	NPDES 018	, SC:20, FQ:Q, FI:	3000-01323	7/11/2011															
018	NPDES 018	, SC:20, FQ:Q, FI:	0000-00718	4/04/2011															
018	NPDES 018	, SC:20, FQ:Q, FI:	0000-00066	1/03/2011															
3																			
019	019	, SC:10, FQ:S, FI:	3000-01626	9/01/2011															
019	019	, SC:10, FQ:S, FI:	3000-01544	8/15/2011															
019	019	, SC:10, FQ:S, FI:	3000-01509	8/01/2011															
019	019	, SC:10, FQ:S, FI:	3000-01410	7/21/2011															
019	019	, SC:10, FQ:S, FI:	3000-01324	7/11/2011															
019	019	, SC:10, FQ:S, FI:	0000-01180	6/13/2011															
019	019	, SC:10, FQ:S, FI:	0000-01092	6/01/2011															
019	019	, SC:10, FQ:S, FI:	0000-00976	5/16/2011															
019	019	, SC:10, FQ:S, FI:	0000-00892	5/02/2011															
019	019	, SC:10, FQ:S, FI:	0000-00825	4/21/2011			11												
019	019	, SC:10, FQ:S, FI:	0000-00674	4/04/2011			10												
019	019	, SC:10, FQ:S, FI:	0000-00570	3/21/2011															
019	019	, SC:10, FQ:S, FI:	0000-00492	3/03/2011															
019	019	, SC:10, FQ:S, FI:	0000-00387	2/16/2011															
019	019	, SC:10, FQ:S, FI:	0000-00310	2/01/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 11

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
019	019	, SC:10, FQ:S, FI:	0000-00237	1/17/2011															
019	019	, SC:10, FQ:S, FI:	0000-00067	1/03/2011															
17																			
019	NPDES 019	, SC:20, FQ:Q, FI:	3000-01325	7/11/2011															
019	NPDES 019	, SC:20, FQ:Q, FI:	0000-00673	4/04/2011						0.039	< 0.01	< 0.46	< 0.005	< 0.19	< 2.00				
019	NPDES 019	, SC:20, FQ:Q, FI:	0000-00068	1/03/2011															
3																			
020	020	, SC:10, FQ:S, FI:	3000-01627	9/01/2011															
020	020	, SC:10, FQ:S, FI:	3000-01545	8/15/2011															
020	020	, SC:10, FQ:S, FI:	3000-01510	8/01/2011															
020	020	, SC:10, FQ:S, FI:	3000-01411	7/21/2011															
020	020	, SC:10, FQ:S, FI:	3000-01326	7/11/2011															
020	020	, SC:10, FQ:S, FI:	0000-01181	6/13/2011															
020	020	, SC:10, FQ:S, FI:	0000-01093	6/01/2011															
020	020	, SC:10, FQ:S, FI:	0000-00977	5/16/2011															
020	020	, SC:10, FQ:S, FI:	0000-00893	5/02/2011															
020	020	, SC:10, FQ:S, FI:	0000-00848	4/21/2011															
020	020	, SC:10, FQ:S, FI:	0000-00719	4/04/2011															
020	020	, SC:10, FQ:S, FI:	0000-00571	3/21/2011															
020	020	, SC:10, FQ:S, FI:	0000-00493	3/03/2011															
020	020	, SC:10, FQ:S, FI:	0000-00388	2/16/2011															
020	020	, SC:10, FQ:S, FI:	0000-00311	2/01/2011															
020	020	, SC:10, FQ:S, FI:	0000-00238	1/17/2011															
020	020	, SC:10, FQ:S, FI:	0000-00069	1/03/2011															
17																			
020	NPDES 020	, SC:20, FQ:Q, FI:	3000-01327	7/11/2011															
020	NPDES 020	, SC:20, FQ:Q, FI:	0000-00720	4/04/2011															
020	NPDES 020	, SC:20, FQ:Q, FI:	0000-00070	1/03/2011															
3																			
021	NPDES 021	, SC:10, FQ:S, FI:	3000-01628	9/01/2011															
021	NPDES 021	, SC:10, FQ:S, FI:	3000-01546	8/15/2011															
021	NPDES 021	, SC:10, FQ:S, FI:	3000-01511	8/01/2011															
021	NPDES 021	, SC:10, FQ:S, FI:	3000-01412	7/21/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 12

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
021	NPDES 021	, SC:10, FQ:S, FI:	0000-01229	7/05/2011			22												
021	NPDES 021	, SC:10, FQ:S, FI:	0000-01136	6/13/2011			14												
021	NPDES 021	, SC:10, FQ:S, FI:	0000-01065	6/01/2011			20												
021	NPDES 021	, SC:10, FQ:S, FI:	0000-00955	5/16/2011			17												
021	NPDES 021	, SC:10, FQ:S, FI:	0000-00867	5/02/2011			15												
021	NPDES 021	, SC:10, FQ:S, FI:	0000-00826	4/21/2011			11												
021	NPDES 021	, SC:10, FQ:S, FI:	0000-00675	4/04/2011			7												
021	NPDES 021	, SC:10, FQ:S, FI:	0000-00547	3/21/2011															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-00465	3/03/2011			7												
021	NPDES 021	, SC:10, FQ:S, FI:	0000-00389	2/16/2011															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-00312	2/01/2011															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-00239	1/17/2011															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-00071	1/03/2011															
17																			
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-01230	7/05/2011						0.040	0.02	0.84	< 0.005	< 0.19	3.00	1447.00			
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-00676	4/04/2011						0.044	< 0.01	< 0.46	< 0.005	< 0.19	2.10				
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-00072	1/03/2011															
3																			
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:		3000-01630	9/01/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:		3000-01512	8/01/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:		3000-01329	7/11/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:		0000-01183	6/13/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:		0000-00978	5/16/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:		0000-01112	4/04/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:		0000-00495	3/03/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:		0000-00783	2/16/2011															
022	NPDES 022 (Not Const, SC:9, FQ:S, FI:		0000-00074	1/03/2011															
9																			
022	NPDES 022 (Not Const, SC:9, FQ:Q, FI:		3000-01328	7/11/2011															
022	NPDES 022 (Not Const, SC:9, FQ:Q, FI:		0000-00073	1/03/2011															
2																			
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:		3000-01631	9/01/2011															
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:		3000-01513	8/01/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 13

Outlet Information		Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	3000-01331	7/11/2011															
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	0000-01184	6/13/2011															
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	0000-00979	5/16/2011															
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	0000-01113	4/04/2011															
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	0000-00496	3/03/2011															
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	0000-00390	2/16/2011															
023	NPDES 023 (Not Const, SC:9, FQ:S, FI:	0000-00076	1/03/2011															
9																		
023	NPDES 023 (Not Const, SC:9, FQ:Q, FI:	3000-01330	7/11/2011															
023	NPDES 023 (Not Const, SC:9, FQ:Q, FI:	0000-00075	1/03/2011															
2																		
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	3000-01632	9/01/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	3000-01514	8/01/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	3000-01333	7/11/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	0000-01185	6/13/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	0000-00981	5/16/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	0000-01114	4/04/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	0000-00497	3/03/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	0000-00391	2/16/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:S, FI:	0000-00078	1/03/2011															
9																		
024	NPDES Outlet 024 (No, SC:9, FQ:Q, FI:	3000-01332	7/11/2011															
024	NPDES Outlet 024 (No, SC:9, FQ:Q, FI:	0000-00077	1/03/2011															
2																		
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	3000-01633	9/01/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	3000-01515	8/01/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	3000-01335	7/11/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	0000-01186	6/13/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	0000-00982	5/16/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	0000-01115	4/04/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	0000-00498	3/03/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	0000-00392	2/16/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:S, FI:	0000-00080	1/03/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 14

Outlet Information		Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
9																		
025	NPDES Outlet 025 (No, SC:9, FQ:Q, FI:	3000-01334	7/11/2011															
025	NPDES Outlet 025 (No, SC:9, FQ:Q, FI:	0000-00079	1/03/2011															
2																		
006	NPDES 006 , SC:20, FQ:Q, FI:	3000-01302	7/11/2011															
006	NPDES 006 , SC:20, FQ:Q, FI:	0000-00723	4/04/2011															
006	NPDES 006 , SC:20, FQ:Q, FI:	0000-00042	1/03/2011															
3																		
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	3000-01634	9/01/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	3000-01516	8/01/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	3000-01337	7/11/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	0000-01187	6/13/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	0000-00983	5/16/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	0000-01116	4/04/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	0000-00499	3/03/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	0000-00779	2/01/2011															
026	026 NPDES (Not Const, SC:9, FQ:S, FI:	0000-00082	1/03/2011															
9																		
026	NPDES 026 , SC:9, FQ:Q, FI:	3000-01336	7/11/2011															
026	NPDES 026 , SC:9, FQ:Q, FI:	0000-00081	1/03/2011															
2																		
027	NPDES 027 , SC:9, FQ:Q, FI:	3000-01338	7/11/2011															
027	NPDES 027 , SC:9, FQ:Q, FI:	0000-00984	5/16/2011															
027	NPDES 027 , SC:9, FQ:Q, FI:	0000-00083	1/03/2011															
3																		
027	027 NPDES (Not Const, SC:9, FQ:S, FI:	3000-01635	9/01/2011															
027	027 NPDES (Not Const, SC:9, FQ:S, FI:	3000-01517	8/01/2011															
027	027 NPDES (Not Const, SC:9, FQ:S, FI:	3000-01339	7/11/2011															
027	027 NPDES (Not Const, SC:9, FQ:S, FI:	0000-01188	6/13/2011															
027	027 NPDES (Not Const, SC:9, FQ:S, FI:	0000-01117	4/04/2011															
027	027 NPDES (Not Const, SC:9, FQ:S, FI:	0000-00500	3/03/2011															
027	027 NPDES (Not Const, SC:9, FQ:S, FI:	0000-00780	2/01/2011															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 15

Outlet Information		Lab No.	Sampled Date	Field Temp. Degree C	Settl. Solids mg/l	Field Temp Degree C	Se ug/l	Site Not Built To Date	Ba mg/l	Ni mg/l	As ug/l	Hg ug/l	Pb ug/l	Cu ug/l	Hardness, Calc. mg/l	Ni ug/l	Ba ug/l	
027 8	027 NPDES (Not Const, SC:9, FQ:S, FI:	0000-00084	1/03/2011															