Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 1

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
Master Client:	**Patriot Mining Company/Active Permits**																		
Permit:	**WV1017535**																		
001	NPDES 001	, SC:10, FQ:S, FI:	0000-05255	12/13/2010		15.000		7.82	7.87			10.00	850	0.197		0.141	< 0.040	1332	1739.0
001	NPDES 001	, SC:10, FQ:S, FI:	0000-05123	12/03/2010		2.400		8.06	7.72			6.00	240	0.181		0.197	0.041	500	600.0
001	NPDES 001	, SC:10, FQ:S, FI:	0000-05023	11/15/2010		0.500		7.95	7.93			< 4.00	1050	0.037		0.048	0.044	1320	1730.0
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04898	11/01/2010		No Flow													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04930	11/01/2010		No Flow													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04802	10/19/2010		No Flow													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04609	10/04/2010		No Flow													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04515	9/13/2010		No Flow													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04446	9/01/2010		No Flow													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04384	8/16/2010	No Flow	No Flow													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04286	8/02/2010		No Flow													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04198	7/12/2010		3.750		7.78	7.89			< 4.00		0.089		0.061	< 0.040		
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04100	7/01/2010		10.000		7.24	7.33			4.00		0.119		0.081	0.040		
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03922	6/14/2010		24.000		7.58	7.80			< 4.00		0.096		0.072	0.084		
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03847	6/01/2010		20.000		7.53	7.73			12.00		0.215		< 0.040	< 0.040		
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03785	5/17/2010		40.000		7.42	7.51			< 4.00		0.523		0.170	0.105		
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03646	4/19/2010		2.500		7.80	7.79			< 4.00		0.092		0.047	< 0.040		
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03535	4/01/2010		10.000		7.80	7.75			5.00		0.419		0.172	< 0.040		
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03365	3/15/2010		75.000		7.80	7.57			< 3.00		0.148		0.208	0.053		
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03248	3/01/2010		10.000		7.50	7.51			< 3.00		0.162		0.126	< 0.040		
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03167	2/15/2010		10.000		7.80	7.98			< 3.00		0.051		0.041	< 0.040		
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03104	2/01/2010		20.000		7.80	7.63			< 3.00		0.155		0.088	0.074		
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03003	1/19/2010		50.000		7.60	7.56			< 3.00		0.111		0.174	0.049		
001	NPDES 001	, SC:10, FQ:S, FI:	0000-02799	1/04/2010		7.500		7.50	7.60			6.00		0.104		0.086	< 0.040		
24																			
001	NPDES 001 HM	, SC:20, FQ:Q, FI:	0000-04610	10/04/2010	No Flow														
001	NPDES 001 HM	, SC:20, FQ:Q, FI:	0000-04101	7/01/2010															
001	NPDES 001 HM	, SC:20, FQ:Q, FI:	0000-02800	1/04/2010															
3																			
002	NPDES 002	, SC:10, FQ:S, FI:	0000-05265	12/13/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-05138	12/03/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-05034	11/15/2010		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 2

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04931	11/01/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04803	10/19/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04611	10/04/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04516	9/13/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04447	9/01/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04385	8/16/2010	No Flow	No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04287	8/02/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04199	7/12/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04102	7/01/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03933	6/14/2010	No Flow	No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03848	6/01/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03797	5/17/2010	No Flow	No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03737	5/04/2010	No Flow	No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03657	4/19/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03536	4/01/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03378	3/15/2010	No Flow	No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03617	3/01/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03191	2/15/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03334	2/01/2010		No Flow													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03004	1/19/2010		5.000		7.50	7.40			43.00		0.352	0.083	0.528	< 0.040		
002	NPDES 002	, SC:10, FQ:S, FI:	0000-02801	1/04/2010	No Flow	No Flow													
24																			
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	0000-04612	10/04/2010	No Flow														
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	0000-04103	7/01/2010	No Flow														
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	0000-03537	4/01/2010	No Flow														
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	0000-03249	3/01/2010															
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	0000-02802	1/04/2010		No Flow													
5																			
006	NPDES 006	, SC:10, FQ:S, FI:	0000-05266	12/13/2010		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-05139	12/03/2010		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-05035	11/15/2010		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04932	11/01/2010		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04804	10/19/2010		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04613	10/04/2010		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 3

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04517	9/13/2010		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04448	9/01/2010		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04386	8/16/2010	No Flow	No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04288	8/02/2010		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04104	7/01/2010		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03934	6/14/2010	No Flow	No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03849	6/01/2010		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03798	5/17/2010	No Flow	No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03738	5/04/2010	No Flow	No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03658	4/19/2010		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03582	4/01/2010		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03379	3/15/2010	No Flow	No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03192	2/15/2010		No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03015	1/19/2010	No Flow	No Flow													
006	NPDES 006	, SC:10, FQ:S, FI:	0000-02803	1/04/2010		No Flow													
21																			
007	NPDES 007	, SC:10, FQ:S, FI:	0000-05267	12/13/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-05140	12/03/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-05036	11/15/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04933	11/01/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04805	10/19/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04614	10/04/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04518	9/13/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04449	9/01/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04387	8/16/2010	No Flow	No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04289	8/02/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04200	7/12/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04105	7/01/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03935	6/14/2010	No Flow	No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03850	6/01/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03799	5/17/2010	No Flow	No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03739	5/04/2010	No Flow	No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03659	4/19/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03583	4/01/2010		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 4

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03380	3/15/2010	No Flow	No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03269	3/01/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03193	2/15/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03335	2/01/2010		No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03016	1/19/2010	No Flow	No Flow													
007	NPDES 007	, SC:10, FQ:S, FI:	0000-02804	1/04/2010	No Flow	No Flow													
24																			
007	NPDES 007 HM	, SC:20, FQ:Q, FI:	0000-04615	10/04/2010	No Flow														
007	NPDES 007 HM	, SC:20, FQ:Q, FI:	0000-04106	7/01/2010	No Flow														
007	NPDES 007 HM	, SC:20, FQ:Q, FI:	0000-03584	4/01/2010	No Flow														
007	NPDES 007 HM	, SC:20, FQ:Q, FI:	0000-02805	1/04/2010		No Flow													
4																			
008	NPDES 008	, SC:10, FQ:S, FI:	0000-05268	12/13/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-05141	12/03/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-05037	11/15/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04934	11/01/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04806	10/19/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04616	10/04/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04519	9/13/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04450	9/01/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04388	8/16/2010	No Flow	No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04290	8/02/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04201	7/12/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04107	7/01/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03936	6/14/2010	No Flow	No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03851	6/01/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03800	5/17/2010	No Flow	No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03740	5/04/2010	No Flow	No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03660	4/19/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03585	4/01/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03381	3/15/2010	No Flow	No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03270	3/01/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03194	2/15/2010		No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03336	2/01/2010		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 5

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03017	1/19/2010	No Flow	No Flow													
008	NPDES 008	, SC:10, FQ:S, FI:	0000-02806	1/04/2010	No Flow	No Flow													
24																			
008	NPDES 008 HM	, SC:20, FQ:Q, FI:	0000-04617	10/04/2010	No Flow														
008	NPDES 008 HM	, SC:20, FQ:Q, FI:	0000-04108	7/01/2010	No Flow														
008	NPDES 008 HM	, SC:20, FQ:Q, FI:	0000-03586	4/01/2010	No Flow														
008	NPDES 008 HM	, SC:20, FQ:Q, FI:	0000-02807	1/04/2010		No Flow													
4																			
009	NPDES 009	, SC:20, FQ:Q, FI:	0000-04619	10/04/2010	No Flow														
009	NPDES 009	, SC:20, FQ:Q, FI:	0000-04110	7/01/2010	No Flow														
009	NPDES 009	, SC:20, FQ:Q, FI:	0000-03588	4/01/2010	No Flow														
009	NPDES 009	, SC:20, FQ:Q, FI:	0000-03228	1/04/2010	No Flow														
4																			
009	NPDES 009	, SC:10, FQ:S, FI:	0000-05269	12/13/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-05142	12/03/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-05038	11/15/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04935	11/01/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04807	10/19/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04618	10/04/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04520	9/13/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04451	9/01/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04389	8/16/2010	No Flow	No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04291	8/02/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04202	7/12/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04109	7/01/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03937	6/14/2010	No Flow	No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03852	6/01/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03801	5/17/2010	No Flow	No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03741	5/04/2010	No Flow	No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03661	4/19/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03587	4/01/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03382	3/15/2010	No Flow	No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03271	3/01/2010		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 6

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03195	2/15/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03337	2/01/2010		No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03018	1/19/2010	No Flow	No Flow													
009	NPDES 009	, SC:10, FQ:S, FI:	0000-02808	1/04/2010	No Flow	No Flow													
24																			
010	NPDES 010	, SC:20, FQ:Q, FI:	0000-04621	10/04/2010	No Flow														
010	NPDES 010	, SC:20, FQ:Q, FI:	0000-04112	7/01/2010	No Flow														
010	NPDES 010	, SC:20, FQ:Q, FI:	0000-03590	4/01/2010	No Flow														
010	NPDES 010	, SC:20, FQ:Q, FI:	0000-02852	1/04/2010		No Flow													
4																			
010	NPDES 010	, SC:10, FQ:S, FI:	0000-05270	12/13/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-05143	12/03/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-05039	11/15/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04936	11/01/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04808	10/19/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04620	10/04/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04521	9/13/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04452	9/01/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04390	8/16/2010	No Flow	No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04292	8/02/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04203	7/12/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04111	7/01/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03938	6/14/2010	No Flow	No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03853	6/01/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03802	5/17/2010	No Flow	No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03742	5/04/2010	No Flow	No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03662	4/19/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03589	4/01/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03383	3/15/2010	No Flow	No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03272	3/01/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03196	2/15/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03338	2/01/2010		No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03019	1/19/2010	No Flow	No Flow													
010	NPDES 010	, SC:10, FQ:S, FI:	0000-02851	1/04/2010	No Flow	No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 7

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
24																			
011	NPDES 011	, SC:20, FQ:Q, FI:	0000-04623	10/04/2010	No Flow														
011	NPDES 011	, SC:20, FQ:Q, FI:	0000-04114	7/01/2010	No Flow														
011	NPDES 011	, SC:20, FQ:Q, FI:	0000-03592	4/01/2010	No Flow														
011	NPDES 011	, SC:20, FQ:Q, FI:	0000-02854	1/04/2010		No Flow													
4																			
011	NPDES 011	, SC:10, FQ:S, FI:	0000-05271	12/13/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-05144	12/03/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-05040	11/15/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04937	11/01/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04809	10/19/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04622	10/04/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04522	9/13/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04453	9/01/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04391	8/16/2010	No Flow	No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04293	8/02/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04204	7/12/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04113	7/01/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03939	6/14/2010	No Flow	No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03854	6/01/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03803	5/17/2010	No Flow	No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03743	5/04/2010	No Flow	No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03663	4/19/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03591	4/01/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03384	3/15/2010	No Flow	No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03273	3/01/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03197	2/15/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03339	2/01/2010		No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03020	1/19/2010	No Flow	No Flow													
011	NPDES 011	, SC:10, FQ:S, FI:	0000-02853	1/04/2010	No Flow	No Flow													
24																			
012	NPDES 012	, SC:20, FQ:Q, FI:	0000-04625	10/04/2010	No Flow														
012	NPDES 012	, SC:20, FQ:Q, FI:	0000-04116	7/01/2010	No Flow														

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 8

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
012	NPDES 012	, SC:20, FQ:Q, FI:	0000-03594	4/01/2010	No Flow														
012	NPDES 012	, SC:20, FQ:Q, FI:	0000-02856	1/04/2010		No Flow													
4																			
012	NPDES 012	, SC:10, FQ:S, FI:	0000-05272	12/13/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-05145	12/03/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-05041	11/15/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04938	11/01/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04810	10/19/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04624	10/04/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04523	9/13/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04454	9/01/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04392	8/16/2010	No Flow	No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04294	8/02/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04205	7/12/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04115	7/01/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03940	6/14/2010	No Flow	No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03855	6/01/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03804	5/17/2010	No Flow	No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03744	5/04/2010	No Flow	No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03664	4/19/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03593	4/01/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03385	3/15/2010	No Flow	No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03274	3/01/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03198	2/15/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03340	2/01/2010		No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03021	1/19/2010	No Flow	No Flow													
012	NPDES 012	, SC:10, FQ:S, FI:	0000-02855	1/04/2010	No Flow	No Flow													
24																			
013	NPDES 013	, SC:20, FQ:Q, FI:	0000-04627	10/04/2010	No Flow														
013	NPDES 013	, SC:20, FQ:Q, FI:	0000-04118	7/01/2010	No Flow														
013	NPDES 013	, SC:20, FQ:Q, FI:	0000-03596	4/01/2010	No Flow														
013	NPDES 013	, SC:20, FQ:Q, FI:	0000-02858	1/04/2010		No Flow													
4																			

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 9

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
013	NPDES 013	, SC:10, FQ:S, FI:	0000-05273	12/13/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-05146	12/03/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-05042	11/15/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04939	11/01/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04811	10/19/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04626	10/04/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04524	9/13/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04455	9/01/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04393	8/16/2010	No Flow	No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04295	8/02/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04206	7/12/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04117	7/01/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03941	6/14/2010	No Flow	No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03856	6/01/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03805	5/17/2010	No Flow	No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03745	5/04/2010	No Flow	No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03665	4/19/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03595	4/01/2010	No Flow	No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03386	3/15/2010	No Flow	No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03275	3/01/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03199	2/15/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03341	2/01/2010		No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03022	1/19/2010	No Flow	No Flow													
013	NPDES 013	, SC:10, FQ:S, FI:	0000-02857	1/04/2010	No Flow	No Flow													
24																			
014	014	, SC:10, FQ:S, FI:	0000-05274	12/13/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-05147	12/03/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-05043	11/15/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-04940	11/01/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-04812	10/19/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-04628	10/04/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-04525	9/13/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-04456	9/01/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-04394	8/16/2010		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 10

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
014	014	, SC:10, FQ:S, FI:	0000-04296	8/02/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-04207	7/12/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-04119	7/01/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-03943	6/14/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-03857	6/01/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-03806	5/17/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-03746	5/04/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-03666	4/19/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-03597	4/01/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-03387	3/15/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-03276	3/01/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-03200	2/15/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-03342	2/01/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-03023	1/19/2010		No Flow													
014	014	, SC:10, FQ:S, FI:	0000-02859	1/04/2010		No Flow													
24																			
014	NPDES 014	, SC:20, FQ:Q, FI:	0000-04629	10/04/2010	No Flow														
014	NPDES 014	, SC:20, FQ:Q, FI:	0000-04120	7/01/2010	No Flow														
014	NPDES 014	, SC:20, FQ:Q, FI:	0000-03598	4/01/2010	No Flow														
014	NPDES 014	, SC:20, FQ:Q, FI:	0000-02860	1/04/2010		No Flow													
4																			
015	015	, SC:10, FQ:S, FI:	0000-05275	12/13/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-05148	12/03/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-05044	11/15/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-04941	11/01/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-04813	10/19/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-04630	10/04/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-04526	9/13/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-04457	9/01/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-04395	8/16/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-04297	8/02/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-04208	7/12/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-04121	7/01/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-03944	6/14/2010		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 11

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
015	015	, SC:10, FQ:S, FI:	0000-03858	6/01/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-03807	5/17/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-03747	5/04/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-03667	4/19/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-03599	4/01/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-03388	3/15/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-03277	3/01/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-03201	2/15/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-03343	2/01/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-03024	1/19/2010		No Flow													
015	015	, SC:10, FQ:S, FI:	0000-02861	1/04/2010		No Flow													
24																			
015	NPDES 015	, SC:20, FQ:Q, FI:	0000-04631	10/04/2010	No Flow														
015	NPDES 015	, SC:20, FQ:Q, FI:	0000-04122	7/01/2010	No Flow														
015	NPDES 015	, SC:20, FQ:Q, FI:	0000-03600	4/01/2010	No Flow														
015	NPDES 015	, SC:20, FQ:Q, FI:	0000-02862	1/04/2010		No Flow													
4																			
016	016	, SC:10, FQ:S, FI:	0000-05276	12/13/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-05149	12/03/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-05045	11/15/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-04942	11/01/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-04814	10/19/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-04632	10/04/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-04527	9/13/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-04458	9/01/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-04396	8/16/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-04298	8/02/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-04209	7/12/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-04123	7/01/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-03945	6/14/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-03859	6/01/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-03808	5/17/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-03748	5/04/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-03668	4/19/2010		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 12

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
016	016	, SC:10, FQ:S, FI:	0000-03601	4/01/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-03389	3/15/2010		5.000		7.87	7.87			15.00		0.079	0.006	0.060	< 0.040		
016	016	, SC:10, FQ:S, FI:	0000-03278	3/01/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-03202	2/15/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-03344	2/01/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-03025	1/19/2010		No Flow													
016	016	, SC:10, FQ:S, FI:	0000-02863	1/04/2010		No Flow													
24																			
016	NPDES 016	, SC:20, FQ:Q, FI:	0000-04633	10/04/2010	No Flow														
016	NPDES 016	, SC:20, FQ:Q, FI:	0000-04124	7/01/2010	No Flow														
016	NPDES 016	, SC:20, FQ:Q, FI:	0000-03602	4/01/2010	No Flow														
016	NPDES 016	, SC:20, FQ:Q, FI:	0000-03432	3/15/2010															
016	NPDES 016	, SC:20, FQ:Q, FI:	0000-02864	1/04/2010		No Flow													
5																			
017	017	, SC:9, FQ:S, FI:	0000-05282	12/13/2010															
017	017	, SC:9, FQ:S, FI:	0000-05303	11/15/2010															
017	017	, SC:9, FQ:S, FI:	0000-04635	10/04/2010															
017	017	, SC:9, FQ:S, FI:	0000-04732	9/13/2010															
017	017	, SC:9, FQ:S, FI:	0000-04303	8/02/2010		No Flow													
017	017	, SC:9, FQ:S, FI:	0000-04401	7/12/2010		No Flow													
017	017	, SC:9, FQ:S, FI:	0000-04251	6/14/2010		No Flow													
017	017	, SC:9, FQ:S, FI:	0000-04012	5/04/2010		No Flow													
017	017	, SC:9, FQ:S, FI:	0000-04001	4/01/2010															
017	017	, SC:9, FQ:S, FI:	0000-03992	3/01/2010															
017	017	, SC:9, FQ:S, FI:	0000-03987	2/01/2010															
017	017	, SC:9, FQ:S, FI:	0000-03984	1/04/2010															
12																			
017	NPDES 017	, SC:9, FQ:Q, FI:	0000-05281	12/13/2010															
017	NPDES 017	, SC:9, FQ:Q, FI:	0000-04634	10/04/2010															
017	NPDES 017	, SC:9, FQ:Q, FI:	0000-04402	7/12/2010		No Flow													
017	NPDES 017	, SC:9, FQ:Q, FI:	0000-04000	4/01/2010		No Flow													
4																			
018	018	, SC:10, FQ:S, FI:	0000-05277	12/13/2010		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 13

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
018	018	, SC:10, FQ:S, FI:	0000-05150	12/03/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-05046	11/15/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-04943	11/01/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-04815	10/19/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-04637	10/04/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-04528	9/13/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-04459	9/01/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-04397	8/16/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-04299	8/02/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-04210	7/12/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-04403	7/12/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-04125	7/01/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-03946	6/14/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-03860	6/01/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-03809	5/17/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-03749	5/04/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-04018	4/19/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-03603	4/01/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-03390	3/15/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-03279	3/01/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-03203	2/15/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-03345	2/01/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-03026	1/19/2010		No Flow													
018	018	, SC:10, FQ:S, FI:	0000-02865	1/04/2010		No Flow													
25																			
018	NPDES 018	, SC:20, FQ:Q, FI:	0000-04636	10/04/2010	No Flow														
018	NPDES 018	, SC:20, FQ:Q, FI:	0000-04126	7/01/2010	No Flow														
018	NPDES 018	, SC:20, FQ:Q, FI:	0000-03604	4/01/2010	No Flow														
018	NPDES 018	, SC:20, FQ:Q, FI:	0000-02866	1/04/2010		No Flow													
4																			
019	019	, SC:10, FQ:S, FI:	0000-05278	12/13/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-05151	12/03/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-05047	11/15/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-04944	11/01/2010		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 14

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
019	019	, SC:10, FQ:S, FI:	0000-04816	10/19/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-04639	10/04/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-04529	9/13/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-04460	9/01/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-04398	8/16/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-04300	8/02/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-04211	7/12/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-04127	7/01/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-03947	6/14/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-03861	6/01/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-03810	5/17/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-03750	5/04/2010		5.000		6.95	7.56			24.00		0.241	0.650	< 0.040	< 0.040		
019	019	, SC:10, FQ:S, FI:	0000-03669	4/19/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-03605	4/01/2010		8.000		7.00	7.28			< 4.00		0.037	0.855	< 0.040	< 0.040		
019	019	, SC:10, FQ:S, FI:	0000-03391	3/15/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-03280	3/01/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-03204	2/15/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-03346	2/01/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-03027	1/19/2010		No Flow													
019	019	, SC:10, FQ:S, FI:	0000-02867	1/04/2010		No Flow													
24																			
019	NPDES 019	, SC:20, FQ:Q, FI:	0000-04638	10/04/2010	No Flow														
019	NPDES 019	, SC:20, FQ:Q, FI:	0000-04128	7/01/2010	No Flow														
019	NPDES 019	, SC:20, FQ:Q, FI:	0000-03606	4/01/2010															
019	NPDES 019	, SC:20, FQ:Q, FI:	0000-02868	1/04/2010		No Flow													
4																			
020	020	, SC:10, FQ:S, FI:	0000-05279	12/13/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-05152	12/03/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-05048	11/15/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-04945	11/01/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-04817	10/19/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-04640	10/04/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-04530	9/13/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-04461	9/01/2010		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 15

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
020	020	, SC:10, FQ:S, FI:	0000-04399	8/16/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-04301	8/02/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-04212	7/12/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-04129	7/01/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-03948	6/14/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-03862	6/01/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-03811	5/17/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-03751	5/04/2010		5.000		6.57	7.22			< 4.00		0.260	0.722	0.061	< 0.040		
020	020	, SC:10, FQ:S, FI:	0000-03670	4/19/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-03607	4/01/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-03392	3/15/2010		10.000		7.73	7.73			< 3.00		0.276	0.426	0.274	0.076		
020	020	, SC:10, FQ:S, FI:	0000-03281	3/01/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-03205	2/15/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-03347	2/01/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-03028	1/19/2010		No Flow													
020	020	, SC:10, FQ:S, FI:	0000-02869	1/04/2010		No Flow													
24																			
020	NPDES 020	, SC:20, FQ:Q, FI:	0000-04641	10/04/2010	No Flow														
020	NPDES 020	, SC:20, FQ:Q, FI:	0000-04130	7/01/2010	No Flow														
020	NPDES 020	, SC:20, FQ:Q, FI:	0000-03608	4/01/2010	No Flow														
020	NPDES 020	, SC:20, FQ:Q, FI:	0000-02870	1/04/2010		No Flow													
4																			
021	NPDES 021	, SC:10, FQ:S, FI:	0000-05280	12/13/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-05153	12/03/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-05049	11/15/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04946	11/01/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04818	10/19/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04642	10/04/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04531	9/13/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04462	9/01/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04400	8/16/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04302	8/02/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04213	7/12/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04131	7/01/2010		No Flow													

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 16

Outlet Information			Lab No.	Sampled Date	GPM GPM	GPM GPM	CFS CFS	pH, Field Std. Unit	pH, Lab Std. Unit	Alkalinity mg/l	Total Acidity mg/l	TSS mg/l	SO4 mg/l	Fe mg/l	Mn mg/l	Al mg/l	Al, Diss. mg/l	TDS mg/l	Conductivity UMHO/CM
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03949	6/14/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03863	6/01/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03812	5/17/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03752	5/04/2010		15.000		7.70	8.14			13.00		0.011	0.059	< 0.040	< 0.040		
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03671	4/19/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03539	4/01/2010		2.000		7.50	7.54			6.00		0.110	0.302	0.158	< 0.040		
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03366	3/15/2010		5.000		7.50	7.59			5.00		0.060	0.006	0.072	< 0.040		
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03618	3/01/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03206	2/15/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03105	2/01/2010		No Flow													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03005	1/19/2010		5.000		7.40	6.85			6.00		0.201	0.118	0.340	0.042		
021	NPDES 021	, SC:10, FQ:S, FI:	0000-02871	1/04/2010		No Flow													
24																			
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-04643	10/04/2010	No Flow														
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-04132	7/01/2010	No Flow														
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-03538	4/01/2010															
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-03433	3/15/2010															
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-03250	3/01/2010															
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-02872	1/04/2010	No Flow														
6																			
006	NPDES 006	, SC:20, FQ:Q, FI:	0000-04819	10/04/2010	No Flow														

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 1

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
Master Client:	**Patriot Mining Company/Active Permits**																		
Permit:	**WV1017535**																		
001	NPDES 001	, SC:10, FQ:S, FI:	0000-05255	12/13/2010		2	2.86												
001	NPDES 001	, SC:10, FQ:S, FI:	0000-05123	12/03/2010		6	3.65												
001	NPDES 001	, SC:10, FQ:S, FI:	0000-05023	11/15/2010		10	< 0.80												
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04898	11/01/2010															
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04930	11/01/2010															
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04802	10/19/2010															
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04609	10/04/2010															
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04515	9/13/2010															
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04446	9/01/2010															
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04384	8/16/2010															
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04286	8/02/2010															
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04198	7/12/2010		28													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-04100	7/01/2010		29													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03922	6/14/2010		25													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03847	6/01/2010		26													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03785	5/17/2010		19													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03646	4/19/2010		10													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03535	4/01/2010		8													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03365	3/15/2010		4													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03248	3/01/2010		4													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03167	2/15/2010		4													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03104	2/01/2010		4													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-03003	1/19/2010		4													
001	NPDES 001	, SC:10, FQ:S, FI:	0000-02799	1/04/2010		4													
24																			
001	NPDES 001 HM	, SC:20, FQ:Q, FI:	0000-04610	10/04/2010															
001	NPDES 001 HM	, SC:20, FQ:Q, FI:	0000-04101	7/01/2010															12.52
001	NPDES 001 HM	, SC:20, FQ:Q, FI:	0000-02800	1/04/2010		4													12.00
3																			
002	NPDES 002	, SC:10, FQ:S, FI:	0000-05265	12/13/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-05138	12/03/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-05034	11/15/2010															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 2

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04931	11/01/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04803	10/19/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04611	10/04/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04516	9/13/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04447	9/01/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04385	8/16/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04287	8/02/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04199	7/12/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-04102	7/01/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03933	6/14/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03848	6/01/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03797	5/17/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03737	5/04/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03657	4/19/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03536	4/01/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03378	3/15/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03617	3/01/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03191	2/15/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03334	2/01/2010															
002	NPDES 002	, SC:10, FQ:S, FI:	0000-03004	1/19/2010		4													
002	NPDES 002	, SC:10, FQ:S, FI:	0000-02801	1/04/2010															
24																			
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	0000-04612	10/04/2010															
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	0000-04103	7/01/2010															
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	0000-03537	4/01/2010															
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	0000-03249	3/01/2010															
002	NPDES 002 HM	, SC:20, FQ:Q, FI:	0000-02802	1/04/2010															
5																			
006	NPDES 006	, SC:10, FQ:S, FI:	0000-05266	12/13/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-05139	12/03/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-05035	11/15/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04932	11/01/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04804	10/19/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04613	10/04/2010															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 3

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04517	9/13/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04448	9/01/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04386	8/16/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04288	8/02/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-04104	7/01/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03934	6/14/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03849	6/01/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03798	5/17/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03738	5/04/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03658	4/19/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03582	4/01/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03379	3/15/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03192	2/15/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-03015	1/19/2010															
006	NPDES 006	, SC:10, FQ:S, FI:	0000-02803	1/04/2010															
21																			
007	NPDES 007	, SC:10, FQ:S, FI:	0000-05267	12/13/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-05140	12/03/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-05036	11/15/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04933	11/01/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04805	10/19/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04614	10/04/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04518	9/13/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04449	9/01/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04387	8/16/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04289	8/02/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04200	7/12/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-04105	7/01/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03935	6/14/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03850	6/01/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03799	5/17/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03739	5/04/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03659	4/19/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03583	4/01/2010															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 4

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Setti. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03380	3/15/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03269	3/01/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03193	2/15/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03335	2/01/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-03016	1/19/2010															
007	NPDES 007	, SC:10, FQ:S, FI:	0000-02804	1/04/2010															
24																			
007	NPDES 007 HM	, SC:20, FQ:Q, FI:	0000-04615	10/04/2010															
007	NPDES 007 HM	, SC:20, FQ:Q, FI:	0000-04106	7/01/2010															
007	NPDES 007 HM	, SC:20, FQ:Q, FI:	0000-03584	4/01/2010															
007	NPDES 007 HM	, SC:20, FQ:Q, FI:	0000-02805	1/04/2010															
4																			
008	NPDES 008	, SC:10, FQ:S, FI:	0000-05268	12/13/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-05141	12/03/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-05037	11/15/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04934	11/01/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04806	10/19/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04616	10/04/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04519	9/13/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04450	9/01/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04388	8/16/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04290	8/02/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04201	7/12/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-04107	7/01/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03936	6/14/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03851	6/01/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03800	5/17/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03740	5/04/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03660	4/19/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03585	4/01/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03381	3/15/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03270	3/01/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03194	2/15/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03336	2/01/2010															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 5

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
008	NPDES 008	, SC:10, FQ:S, FI:	0000-03017	1/19/2010															
008	NPDES 008	, SC:10, FQ:S, FI:	0000-02806	1/04/2010															
24																			
008	NPDES 008 HM	, SC:20, FQ:Q, FI:	0000-04617	10/04/2010															
008	NPDES 008 HM	, SC:20, FQ:Q, FI:	0000-04108	7/01/2010															
008	NPDES 008 HM	, SC:20, FQ:Q, FI:	0000-03586	4/01/2010															
008	NPDES 008 HM	, SC:20, FQ:Q, FI:	0000-02807	1/04/2010															
4																			
009	NPDES 009	, SC:20, FQ:Q, FI:	0000-04619	10/04/2010															
009	NPDES 009	, SC:20, FQ:Q, FI:	0000-04110	7/01/2010															
009	NPDES 009	, SC:20, FQ:Q, FI:	0000-03588	4/01/2010															
009	NPDES 009	, SC:20, FQ:Q, FI:	0000-03228	1/04/2010															
4																			
009	NPDES 009	, SC:10, FQ:S, FI:	0000-05269	12/13/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-05142	12/03/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-05038	11/15/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04935	11/01/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04807	10/19/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04618	10/04/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04520	9/13/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04451	9/01/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04389	8/16/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04291	8/02/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04202	7/12/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-04109	7/01/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03937	6/14/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03852	6/01/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03801	5/17/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03741	5/04/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03661	4/19/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03587	4/01/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03382	3/15/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03271	3/01/2010															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 6

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03195	2/15/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03337	2/01/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-03018	1/19/2010															
009	NPDES 009	, SC:10, FQ:S, FI:	0000-02808	1/04/2010															
24																			
010	NPDES 010	, SC:20, FQ:Q, FI:	0000-04621	10/04/2010															
010	NPDES 010	, SC:20, FQ:Q, FI:	0000-04112	7/01/2010															
010	NPDES 010	, SC:20, FQ:Q, FI:	0000-03590	4/01/2010															
010	NPDES 010	, SC:20, FQ:Q, FI:	0000-02852	1/04/2010															
4																			
010	NPDES 010	, SC:10, FQ:S, FI:	0000-05270	12/13/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-05143	12/03/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-05039	11/15/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04936	11/01/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04808	10/19/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04620	10/04/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04521	9/13/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04452	9/01/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04390	8/16/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04292	8/02/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04203	7/12/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-04111	7/01/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03938	6/14/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03853	6/01/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03802	5/17/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03742	5/04/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03662	4/19/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03589	4/01/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03383	3/15/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03272	3/01/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03196	2/15/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03338	2/01/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-03019	1/19/2010															
010	NPDES 010	, SC:10, FQ:S, FI:	0000-02851	1/04/2010															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 7

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
24																			
011	NPDES 011	, SC:20, FQ:Q, FI:	0000-04623	10/04/2010															
011	NPDES 011	, SC:20, FQ:Q, FI:	0000-04114	7/01/2010															
011	NPDES 011	, SC:20, FQ:Q, FI:	0000-03592	4/01/2010															
011	NPDES 011	, SC:20, FQ:Q, FI:	0000-02854	1/04/2010															
4																			
011	NPDES 011	, SC:10, FQ:S, FI:	0000-05271	12/13/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-05144	12/03/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-05040	11/15/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04937	11/01/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04809	10/19/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04622	10/04/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04522	9/13/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04453	9/01/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04391	8/16/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04293	8/02/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04204	7/12/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-04113	7/01/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03939	6/14/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03854	6/01/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03803	5/17/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03743	5/04/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03663	4/19/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03591	4/01/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03384	3/15/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03273	3/01/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03197	2/15/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03339	2/01/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-03020	1/19/2010															
011	NPDES 011	, SC:10, FQ:S, FI:	0000-02853	1/04/2010															
24																			
012	NPDES 012	, SC:20, FQ:Q, FI:	0000-04625	10/04/2010															
012	NPDES 012	, SC:20, FQ:Q, FI:	0000-04116	7/01/2010															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 8

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
012	NPDES 012	, SC:20, FQ:Q, FI:	0000-03594	4/01/2010															
012	NPDES 012	, SC:20, FQ:Q, FI:	0000-02856	1/04/2010															
4																			
012	NPDES 012	, SC:10, FQ:S, FI:	0000-05272	12/13/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-05145	12/03/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-05041	11/15/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04938	11/01/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04810	10/19/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04624	10/04/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04523	9/13/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04454	9/01/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04392	8/16/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04294	8/02/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04205	7/12/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-04115	7/01/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03940	6/14/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03855	6/01/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03804	5/17/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03744	5/04/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03664	4/19/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03593	4/01/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03385	3/15/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03274	3/01/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03198	2/15/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03340	2/01/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-03021	1/19/2010															
012	NPDES 012	, SC:10, FQ:S, FI:	0000-02855	1/04/2010															
24																			
013	NPDES 013	, SC:20, FQ:Q, FI:	0000-04627	10/04/2010															
013	NPDES 013	, SC:20, FQ:Q, FI:	0000-04118	7/01/2010															
013	NPDES 013	, SC:20, FQ:Q, FI:	0000-03596	4/01/2010															
013	NPDES 013	, SC:20, FQ:Q, FI:	0000-02858	1/04/2010															
4																			

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 9

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
013	NPDES 013	, SC:10, FQ:S, FI:	0000-05273	12/13/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-05146	12/03/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-05042	11/15/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04939	11/01/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04811	10/19/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04626	10/04/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04524	9/13/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04455	9/01/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04393	8/16/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04295	8/02/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04206	7/12/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-04117	7/01/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03941	6/14/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03856	6/01/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03805	5/17/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03745	5/04/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03665	4/19/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03595	4/01/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03386	3/15/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03275	3/01/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03199	2/15/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03341	2/01/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-03022	1/19/2010															
013	NPDES 013	, SC:10, FQ:S, FI:	0000-02857	1/04/2010															
24																			
014	014	, SC:10, FQ:S, FI:	0000-05274	12/13/2010															
014	014	, SC:10, FQ:S, FI:	0000-05147	12/03/2010															
014	014	, SC:10, FQ:S, FI:	0000-05043	11/15/2010															
014	014	, SC:10, FQ:S, FI:	0000-04940	11/01/2010															
014	014	, SC:10, FQ:S, FI:	0000-04812	10/19/2010															
014	014	, SC:10, FQ:S, FI:	0000-04628	10/04/2010															
014	014	, SC:10, FQ:S, FI:	0000-04525	9/13/2010															
014	014	, SC:10, FQ:S, FI:	0000-04456	9/01/2010															
014	014	, SC:10, FQ:S, FI:	0000-04394	8/16/2010															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 10

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
014	014	, SC:10, FQ:S, FI:	0000-04296	8/02/2010															
014	014	, SC:10, FQ:S, FI:	0000-04207	7/12/2010															
014	014	, SC:10, FQ:S, FI:	0000-04119	7/01/2010															
014	014	, SC:10, FQ:S, FI:	0000-03943	6/14/2010															
014	014	, SC:10, FQ:S, FI:	0000-03857	6/01/2010															
014	014	, SC:10, FQ:S, FI:	0000-03806	5/17/2010															
014	014	, SC:10, FQ:S, FI:	0000-03746	5/04/2010															
014	014	, SC:10, FQ:S, FI:	0000-03666	4/19/2010															
014	014	, SC:10, FQ:S, FI:	0000-03597	4/01/2010															
014	014	, SC:10, FQ:S, FI:	0000-03387	3/15/2010															
014	014	, SC:10, FQ:S, FI:	0000-03276	3/01/2010															
014	014	, SC:10, FQ:S, FI:	0000-03200	2/15/2010															
014	014	, SC:10, FQ:S, FI:	0000-03342	2/01/2010															
014	014	, SC:10, FQ:S, FI:	0000-03023	1/19/2010															
014	014	, SC:10, FQ:S, FI:	0000-02859	1/04/2010															
24																			
014	NPDES 014	, SC:20, FQ:Q, FI:	0000-04629	10/04/2010															
014	NPDES 014	, SC:20, FQ:Q, FI:	0000-04120	7/01/2010															
014	NPDES 014	, SC:20, FQ:Q, FI:	0000-03598	4/01/2010															
014	NPDES 014	, SC:20, FQ:Q, FI:	0000-02860	1/04/2010															
4																			
015	015	, SC:10, FQ:S, FI:	0000-05275	12/13/2010															
015	015	, SC:10, FQ:S, FI:	0000-05148	12/03/2010															
015	015	, SC:10, FQ:S, FI:	0000-05044	11/15/2010															
015	015	, SC:10, FQ:S, FI:	0000-04941	11/01/2010															
015	015	, SC:10, FQ:S, FI:	0000-04813	10/19/2010															
015	015	, SC:10, FQ:S, FI:	0000-04630	10/04/2010															
015	015	, SC:10, FQ:S, FI:	0000-04526	9/13/2010															
015	015	, SC:10, FQ:S, FI:	0000-04457	9/01/2010															
015	015	, SC:10, FQ:S, FI:	0000-04395	8/16/2010															
015	015	, SC:10, FQ:S, FI:	0000-04297	8/02/2010															
015	015	, SC:10, FQ:S, FI:	0000-04208	7/12/2010															
015	015	, SC:10, FQ:S, FI:	0000-04121	7/01/2010															
015	015	, SC:10, FQ:S, FI:	0000-03944	6/14/2010															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 11

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
015	015	, SC:10, FQ:S, FI:	0000-03858	6/01/2010															
015	015	, SC:10, FQ:S, FI:	0000-03807	5/17/2010															
015	015	, SC:10, FQ:S, FI:	0000-03747	5/04/2010															
015	015	, SC:10, FQ:S, FI:	0000-03667	4/19/2010															
015	015	, SC:10, FQ:S, FI:	0000-03599	4/01/2010															
015	015	, SC:10, FQ:S, FI:	0000-03388	3/15/2010															
015	015	, SC:10, FQ:S, FI:	0000-03277	3/01/2010															
015	015	, SC:10, FQ:S, FI:	0000-03201	2/15/2010															
015	015	, SC:10, FQ:S, FI:	0000-03343	2/01/2010															
015	015	, SC:10, FQ:S, FI:	0000-03024	1/19/2010															
015	015	, SC:10, FQ:S, FI:	0000-02861	1/04/2010															
24																			
015	NPDES 015	, SC:20, FQ:Q, FI:	0000-04631	10/04/2010															
015	NPDES 015	, SC:20, FQ:Q, FI:	0000-04122	7/01/2010															
015	NPDES 015	, SC:20, FQ:Q, FI:	0000-03600	4/01/2010															
015	NPDES 015	, SC:20, FQ:Q, FI:	0000-02862	1/04/2010															
4																			
016	016	, SC:10, FQ:S, FI:	0000-05276	12/13/2010															
016	016	, SC:10, FQ:S, FI:	0000-05149	12/03/2010															
016	016	, SC:10, FQ:S, FI:	0000-05045	11/15/2010															
016	016	, SC:10, FQ:S, FI:	0000-04942	11/01/2010															
016	016	, SC:10, FQ:S, FI:	0000-04814	10/19/2010															
016	016	, SC:10, FQ:S, FI:	0000-04632	10/04/2010															
016	016	, SC:10, FQ:S, FI:	0000-04527	9/13/2010															
016	016	, SC:10, FQ:S, FI:	0000-04458	9/01/2010															
016	016	, SC:10, FQ:S, FI:	0000-04396	8/16/2010															
016	016	, SC:10, FQ:S, FI:	0000-04298	8/02/2010															
016	016	, SC:10, FQ:S, FI:	0000-04209	7/12/2010															
016	016	, SC:10, FQ:S, FI:	0000-04123	7/01/2010															
016	016	, SC:10, FQ:S, FI:	0000-03945	6/14/2010															
016	016	, SC:10, FQ:S, FI:	0000-03859	6/01/2010															
016	016	, SC:10, FQ:S, FI:	0000-03808	5/17/2010															
016	016	, SC:10, FQ:S, FI:	0000-03748	5/04/2010															
016	016	, SC:10, FQ:S, FI:	0000-03668	4/19/2010															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 12

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
016	016	, SC:10, FQ:S, FI:	0000-03601	4/01/2010															
016	016	, SC:10, FQ:S, FI:	0000-03389	3/15/2010		4													
016	016	, SC:10, FQ:S, FI:	0000-03278	3/01/2010															
016	016	, SC:10, FQ:S, FI:	0000-03202	2/15/2010															
016	016	, SC:10, FQ:S, FI:	0000-03344	2/01/2010															
016	016	, SC:10, FQ:S, FI:	0000-03025	1/19/2010															
016	016	, SC:10, FQ:S, FI:	0000-02863	1/04/2010															
24																			
016	NPDES 016	, SC:20, FQ:Q, FI:	0000-04633	10/04/2010															
016	NPDES 016	, SC:20, FQ:Q, FI:	0000-04124	7/01/2010															
016	NPDES 016	, SC:20, FQ:Q, FI:	0000-03602	4/01/2010															
016	NPDES 016	, SC:20, FQ:Q, FI:	0000-03432	3/15/2010					517.90	0.07			< 1.2	< 0.005	2.33	< 0.09	< 8.50		
016	NPDES 016	, SC:20, FQ:Q, FI:	0000-02864	1/04/2010															
5																			
017	017	, SC:9, FQ:S, FI:	0000-05282	12/13/2010															
017	017	, SC:9, FQ:S, FI:	0000-05303	11/15/2010															
017	017	, SC:9, FQ:S, FI:	0000-04635	10/04/2010															
017	017	, SC:9, FQ:S, FI:	0000-04732	9/13/2010															
017	017	, SC:9, FQ:S, FI:	0000-04303	8/02/2010															
017	017	, SC:9, FQ:S, FI:	0000-04401	7/12/2010															
017	017	, SC:9, FQ:S, FI:	0000-04251	6/14/2010															
017	017	, SC:9, FQ:S, FI:	0000-04012	5/04/2010															
017	017	, SC:9, FQ:S, FI:	0000-04001	4/01/2010															
017	017	, SC:9, FQ:S, FI:	0000-03992	3/01/2010															
017	017	, SC:9, FQ:S, FI:	0000-03987	2/01/2010															
017	017	, SC:9, FQ:S, FI:	0000-03984	1/04/2010															
12																			
017	NPDES 017	, SC:9, FQ:Q, FI:	0000-05281	12/13/2010															
017	NPDES 017	, SC:9, FQ:Q, FI:	0000-04634	10/04/2010															
017	NPDES 017	, SC:9, FQ:Q, FI:	0000-04402	7/12/2010															
017	NPDES 017	, SC:9, FQ:Q, FI:	0000-04000	4/01/2010															
4																			
018	018	, SC:10, FQ:S, FI:	0000-05277	12/13/2010															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 13

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
018	018	, SC:10, FQ:S, FI:	0000-05150	12/03/2010															
018	018	, SC:10, FQ:S, FI:	0000-05046	11/15/2010															
018	018	, SC:10, FQ:S, FI:	0000-04943	11/01/2010															
018	018	, SC:10, FQ:S, FI:	0000-04815	10/19/2010															
018	018	, SC:10, FQ:S, FI:	0000-04637	10/04/2010															
018	018	, SC:10, FQ:S, FI:	0000-04528	9/13/2010															
018	018	, SC:10, FQ:S, FI:	0000-04459	9/01/2010															
018	018	, SC:10, FQ:S, FI:	0000-04397	8/16/2010															
018	018	, SC:10, FQ:S, FI:	0000-04299	8/02/2010															
018	018	, SC:10, FQ:S, FI:	0000-04210	7/12/2010															
018	018	, SC:10, FQ:S, FI:	0000-04403	7/12/2010															
018	018	, SC:10, FQ:S, FI:	0000-04125	7/01/2010															
018	018	, SC:10, FQ:S, FI:	0000-03946	6/14/2010															
018	018	, SC:10, FQ:S, FI:	0000-03860	6/01/2010															
018	018	, SC:10, FQ:S, FI:	0000-03809	5/17/2010															
018	018	, SC:10, FQ:S, FI:	0000-03749	5/04/2010															
018	018	, SC:10, FQ:S, FI:	0000-04018	4/19/2010															
018	018	, SC:10, FQ:S, FI:	0000-03603	4/01/2010															
018	018	, SC:10, FQ:S, FI:	0000-03390	3/15/2010															
018	018	, SC:10, FQ:S, FI:	0000-03279	3/01/2010															
018	018	, SC:10, FQ:S, FI:	0000-03203	2/15/2010															
018	018	, SC:10, FQ:S, FI:	0000-03345	2/01/2010															
018	018	, SC:10, FQ:S, FI:	0000-03026	1/19/2010															
018	018	, SC:10, FQ:S, FI:	0000-02865	1/04/2010															
25																			
018	NPDES 018	, SC:20, FQ:Q, FI:	0000-04636	10/04/2010															
018	NPDES 018	, SC:20, FQ:Q, FI:	0000-04126	7/01/2010															
018	NPDES 018	, SC:20, FQ:Q, FI:	0000-03604	4/01/2010															
018	NPDES 018	, SC:20, FQ:Q, FI:	0000-02866	1/04/2010															
4																			
019	019	, SC:10, FQ:S, FI:	0000-05278	12/13/2010															
019	019	, SC:10, FQ:S, FI:	0000-05151	12/03/2010															
019	019	, SC:10, FQ:S, FI:	0000-05047	11/15/2010															
019	019	, SC:10, FQ:S, FI:	0000-04944	11/01/2010															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 14

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
019	019	, SC:10, FQ:S, FI:	0000-04816	10/19/2010															
019	019	, SC:10, FQ:S, FI:	0000-04639	10/04/2010															
019	019	, SC:10, FQ:S, FI:	0000-04529	9/13/2010															
019	019	, SC:10, FQ:S, FI:	0000-04460	9/01/2010															
019	019	, SC:10, FQ:S, FI:	0000-04398	8/16/2010															
019	019	, SC:10, FQ:S, FI:	0000-04300	8/02/2010															
019	019	, SC:10, FQ:S, FI:	0000-04211	7/12/2010															
019	019	, SC:10, FQ:S, FI:	0000-04127	7/01/2010															
019	019	, SC:10, FQ:S, FI:	0000-03947	6/14/2010															
019	019	, SC:10, FQ:S, FI:	0000-03861	6/01/2010															
019	019	, SC:10, FQ:S, FI:	0000-03810	5/17/2010															
019	019	, SC:10, FQ:S, FI:	0000-03750	5/04/2010		18													
019	019	, SC:10, FQ:S, FI:	0000-03669	4/19/2010															
019	019	, SC:10, FQ:S, FI:	0000-03605	4/01/2010															
019	019	, SC:10, FQ:S, FI:	0000-03391	3/15/2010															
019	019	, SC:10, FQ:S, FI:	0000-03280	3/01/2010															
019	019	, SC:10, FQ:S, FI:	0000-03204	2/15/2010															
019	019	, SC:10, FQ:S, FI:	0000-03346	2/01/2010															
019	019	, SC:10, FQ:S, FI:	0000-03027	1/19/2010															
019	019	, SC:10, FQ:S, FI:	0000-02867	1/04/2010															
24																			
019	NPDES 019	, SC:20, FQ:Q, FI:	0000-04638	10/04/2010															
019	NPDES 019	, SC:20, FQ:Q, FI:	0000-04128	7/01/2010															
019	NPDES 019	, SC:20, FQ:Q, FI:	0000-03606	4/01/2010					168.00	0.02	0.071		< 1.2	< 0.005	2.67	0.29			
019	NPDES 019	, SC:20, FQ:Q, FI:	0000-02868	1/04/2010															
4																			
020	020	, SC:10, FQ:S, FI:	0000-05279	12/13/2010															
020	020	, SC:10, FQ:S, FI:	0000-05152	12/03/2010															
020	020	, SC:10, FQ:S, FI:	0000-05048	11/15/2010															
020	020	, SC:10, FQ:S, FI:	0000-04945	11/01/2010															
020	020	, SC:10, FQ:S, FI:	0000-04817	10/19/2010															
020	020	, SC:10, FQ:S, FI:	0000-04640	10/04/2010															
020	020	, SC:10, FQ:S, FI:	0000-04530	9/13/2010															
020	020	, SC:10, FQ:S, FI:	0000-04461	9/01/2010															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 15

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
020	020	, SC:10, FQ:S, FI:	0000-04399	8/16/2010															
020	020	, SC:10, FQ:S, FI:	0000-04301	8/02/2010															
020	020	, SC:10, FQ:S, FI:	0000-04212	7/12/2010															
020	020	, SC:10, FQ:S, FI:	0000-04129	7/01/2010															
020	020	, SC:10, FQ:S, FI:	0000-03948	6/14/2010															
020	020	, SC:10, FQ:S, FI:	0000-03862	6/01/2010															
020	020	, SC:10, FQ:S, FI:	0000-03811	5/17/2010															
020	020	, SC:10, FQ:S, FI:	0000-03751	5/04/2010		18													
020	020	, SC:10, FQ:S, FI:	0000-03670	4/19/2010															
020	020	, SC:10, FQ:S, FI:	0000-03607	4/01/2010															
020	020	, SC:10, FQ:S, FI:	0000-03392	3/15/2010		44													
020	020	, SC:10, FQ:S, FI:	0000-03281	3/01/2010															
020	020	, SC:10, FQ:S, FI:	0000-03205	2/15/2010															
020	020	, SC:10, FQ:S, FI:	0000-03347	2/01/2010															
020	020	, SC:10, FQ:S, FI:	0000-03028	1/19/2010															
020	020	, SC:10, FQ:S, FI:	0000-02869	1/04/2010															
24																			
020	NPDES 020	, SC:20, FQ:Q, FI:	0000-04641	10/04/2010															
020	NPDES 020	, SC:20, FQ:Q, FI:	0000-04130	7/01/2010															
020	NPDES 020	, SC:20, FQ:Q, FI:	0000-03608	4/01/2010															
020	NPDES 020	, SC:20, FQ:Q, FI:	0000-02870	1/04/2010															
4																			
021	NPDES 021	, SC:10, FQ:S, FI:	0000-05280	12/13/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-05153	12/03/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-05049	11/15/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04946	11/01/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04818	10/19/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04642	10/04/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04531	9/13/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04462	9/01/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04400	8/16/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04302	8/02/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04213	7/12/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-04131	7/01/2010															

Standard Laboratories, Inc.
Water Sample Listing **Program: WLB**
Page: 16

Outlet Information			Lab No.	Sampled Date	Field Temp. Degree C	Field Temp Degree C	Se ug/l	Settl. Solids mg/l	Hardness mg/l	Ba mg/l	Ni mg/l	Site Not Built To Date	As ug/l	Hg ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Ba ug/l	Zn ug/l
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03949	6/14/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03863	6/01/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03812	5/17/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03752	5/04/2010		19													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03671	4/19/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03539	4/01/2010		8													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03366	3/15/2010		4													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03618	3/01/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03206	2/15/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03105	2/01/2010															
021	NPDES 021	, SC:10, FQ:S, FI:	0000-03005	1/19/2010		4													
021	NPDES 021	, SC:10, FQ:S, FI:	0000-02871	1/04/2010															
24																			
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-04643	10/04/2010															
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-04132	7/01/2010															
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-03538	4/01/2010					309.00	0.03	< 0.008		< 1.2	< 0.005	6.14	0.25			
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-03433	3/15/2010					513.60	0.07	< 0.008		< 1.2	< 0.005	< 0.60	< 0.09			
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-03250	3/01/2010										< 0.005					
021	NPDES 021	, SC:20, FQ:Q, FI:	0000-02872	1/04/2010															
6																			
006	NPDES 006	, SC:20, FQ:Q, FI:	0000-04819	10/04/2010															